SAFETY DATA SHEET

Issuing Date 31-Aug-2015 Revision Date 03-Feb-2017 Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name CA-40 BN, CA-40 HG

Other means of identification

Product Code(s) 400070

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Solder mask part B

Uses advised against No information available

Supplier's details

Initial Supplier Supplier Address

Canadian address required Taiyo America, Inc. 2675 Antler Drive

Carson City, NV 89701 TEL: 775-885-9959

Emergency telephone number

Emergency Telephone

Number

775-885-9959

2. HAZARDS IDENTIFICATION

Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Acute Oral Toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 4
Acute Inhalation Toxicity - Dusts and Mists	Category 4
Serious Eye Damage/Eye Irritation	Category 1
Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 1B
Specific Target Organ Toxicity (Repeated Exposure)	Category 2
Flammable liquids	Category 4

Label Elements

Danger



Hazard Statements

Harmful if swallowed
Harmful if inhaled
Causes serious eye damage
May cause an allergic skin reaction
May cause genetic defects
May cause damage to organs through prolonged or repeated exposure
Combustible liquid.

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements

Prevention

- Use only outdoors or in a well-ventilated area.
- · Wash face, hands and any exposed skin thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- · Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.
- Contaminated work clothing should not be allowed out of the workplace.
- Do not breathe dust/fume/gas/mist/vapors/spray.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

- If exposed or concerned: Get medical attention/advice
- Specific treatment (see supplemental first aid instructions on this label)

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a POISON CENTER or doctor/physician.

Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- Wash contaminated clothing before reuse.

Inhalation

• IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion

- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- · Rinse mouth.

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

Storage

- Store locked up.
- Store in a well-ventilated place. Keep cool.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

·----

Other information

7.65% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Barium sulfate	7727-43-7	43.37	-	-
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)-	2451-62-9	20.41	-	-
Dipropylene glycol monomethyl ether	34590-94-8	13.27	-	-

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If symptoms persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. If skin irritation persists, call a physician.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion Rinse mouth. Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a

physician.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects May cause allergic skin reaction. Itching. Rashes. Serious eye irritation or damage.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> Carbon dioxide (CO₂). Foam. Dry chemical.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the

Chemical

Combustible liquid. May cause sensitization by skin contact. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not

breathe fumes. Risk of ignition. Keep product and empty container away from heat and

sources of ignition.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None. Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with

skin, eyes and clothing. Keep people away from and upwind of spill/leak. Remove all

flashback.

Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. Prevent entry into waterways,

sewers, basements or confined areas. See Section 12 for additional Ecological Information.

sources of ignition. Take precautionary measures against static discharges. Pay attention to

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Dam up. Take up with sand or other noncombustible absorbent material and place into

containers for later disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove

and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Use only in area provided with appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). In case of insufficient ventilation, wear suitable respiratory equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from

heat, sparks and open flame. No smoking.

Conditions for safe storage, including any incompatibilities

Storage Keep in properly labeled containers. Keep out of the reach of children. Keep containers

tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of

ignition.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	Chemical Name ACGIH TLV OSHA PEL		NIOSH IDLH	
Barium sulfate	TWA: 5 mg/m³ inhalable	TWA: 15 mg/m³ total dust	TWA: 10 mg/m ³ total dust	
7727-43-7	particulate matter, particulate	TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m ³ respirable dust	
	matter containing no asbestos	(vacated) TWA: 10 mg/m³ total		
	and <1% crystalline silica	dust		
		(vacated) TWA: 5 mg/m ³		
		respirable fraction		
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione,	TWA: 0.05 mg/m ³	-	-	
1,3,5-tris(oxiranylmethyl)-				
2451-62-9				
Dipropylene glycol monomethyl ether	STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm	
34590-94-8	TWA: 100 ppm	TWA: 600 mg/m ³	TWA: 100 ppm	
	S*	(vacated) TWA: 100 ppm	TWA: 600 mg/m ³	
		(vacated) TWA: 600 mg/m ³	STEL: 150 ppm	
		(vacated) STEL: 150 ppm	STEL: 900 mg/m ³	
		(vacated) STEL: 900 mg/m ³		
		(vacated) S*		
		S*		

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles.

Skin and Body Protection Lightweight protective clothing. Impervious gloves.

Respiratory ProtectionIn case of inadequate ventilation wear respiratory protection. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

Hygiene MeasuresHandle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid. Appearance Off-white.

Odor Mild Solvent. Odor Threshold No information available.

<u>Property</u> <u>Values</u> <u>Remarks/ - Method</u>

No data available None known Melting Point/Range No data available None known **Boiling Point/Boiling Range** No data available None known 74 °C Flash Point None known No data available **Evaporation rate** None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data available

Vapor Pressure No data available None known **Vapor Density** No data available None known **Specific Gravity** 1.71 None known Water Solubility No data available None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known No data available None known **Autoignition Temperature Decomposition Temperature** No data available None known

Flammable Properties Combustible material: may burn but does not ignite readily

No data available

Explosive PropertiesNo data available **Oxidizing Properties**No data available

Other information

Viscosity

VOC Content (%) 16 **VOC (g/l)** 271

10. STABILITY AND REACTIVITY

None known

Reactivity No data available.

<u>Chemical stability</u> Stable under recommended storage conditions.

<u>Possibility of hazardous reactions</u> None under normal processing.

<u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

Conditions to avoid Incompatible products. Heat, flames and sparks.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products Thermal decomposition can lead to release of irritating and toxic gases and vapors: Carbon dioxide (CO₂). Carbon monoxide (CO). Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Harmful if inhaled.

Eye ContactCauses serious eye damage. **Skin Contact**May cause allergic skin reaction.

Ingestion Harmful if swallowed.

Numerical measures of toxicity - Product

Unknown acute toxicity 7.65% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral898 mg/kg; Acute toxicity estimate **LD50 Dermal**898 mg/kg; Acute toxicity estimate

Inhalation

dust/mist2.5 mg/L; Acute toxicity estimateVapor15 mg/L; Acute toxicity estimate

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
1,3,5-Triazine-2,4,6(1H,3H,5H)-trion	= 188 mg/kg (Rat)	-	= 0.65 mg/L (Rat) 4 h > 0.65 mg/L
e, 1,3,5-tris(oxiranylmethyl)-			(Rat) 4 h
Dipropylene glycol monomethyl	= 5400 μL/kg (Rat)	= 9500 mg/kg (Rabbit)	-
ether			
Diethylene glycol monoethyl ether	= 11 g/kg (Rat)	= 15100 μL/kg (Rabbit)	-
acetate			1

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization

Germ Cell Mutagenicity

Carcinogenicity

May cause sensitization of susceptible persons. May cause sensitization by skin contact.

Contains a known or suspected mutagen. May cause genetic defects. Contains no ingredients above reportable quantities listed as a carcinogen.

Reproductive Toxicity
STOT - single exposure
No information available.
No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Dipropylene glycol		LC50 96 h: > 10000 mg/L		LC50 48 h: = 1919 mg/L
monomethyl ether		static (Pimephales		(Daphnia magna)
34590-94-8		promelas)		

Persistence and Degradability No information available.

Bioaccumulation

Chemical Name	Log Pow
Dipropylene glycol monomethyl ether	-0.064

Mobility

No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

Note: According to 49 CRF §173.150(f)(1), this material should be reclassified as NA1993,

Combustible Liquid, NOS if it is shipped in bulk.

DOT Not regulated

TDG Not regulated

MEX Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances
Persistent Organic Pollutants
Hazardous Waste
The Rotterdam Convention (Prior
Not applicable
Not applicable

Informed Consent)

International Convention for the

Prevention of Pollution from Ships

(MARPOL)

International Inventories

TSCA Complies
DSL Complies
EINECS Complies
ELINCS Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Not applicable

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold
			Values %
Diethylene glycol monoethyl ether acetate	112-15-2	2.55	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard Yes Chronic Health Hazard Yes

Fire Hazard Yes

Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Barium sulfate	X	X	X		
1,3,5-Triazine-2,4,6(1H,3H,5 H)-trione, 1,3,5-tris(oxiranylmethyl)-	Х				
Dipropylene glycol monomethyl ether	Х	Х	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA Health Hazard 3 Flammability 2 Instability 0 Physical and Che Hazards -					
HMIS *Indicates a chronic hea	Health Hazard 3*	Flammability 2	Physical Hazard 0	Personal Protection X	

Prepared By
Product Stewardship
23 British American Blvd.

Latham, NY 12110 1-800-572-6501 31-Aug-2015

Issuing Date31-Aug-2015Revision Date03-Feb-2017Revision NoteUpdate to Format.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet