

# **SAFETY DATA SHEET**

Issuing Date 24-May-2015 Revision Date 15-Jun-2015 Revision Number 1

# Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 400350

Product Name CA-40 GP01

Contains Bisphenol A - Epichlorohydrin polymer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Solder mask part B

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Company

Taiyo America, Inc. 2675 Antler Drive Carson City, NV 89701 TEL: 775-885-9959

For further information, please contact

E-mail Address No information available.

1.4. Emergency telephone number

Emergency Telephone 775-885-9959

Number

Europe 112

# Section 2. Hazards identification

#### 2.1. - Classification of the substance or mixture

# REGULATION (EC) No 1272/2008

REGULATION (EG) NO 12/2/2000			
Skin Corrosion/Irritation	Category 2		
Serious Eye Damage/Eye Irritation	Category 2		
Skin Sensitization	Category 1		
Chronic Aquatic Toxicity	Category 3		

## Physical Hazards

None

# 2.2. Label Elements



Signal Word Warning

#### **Hazard Statements**

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

#### **Precautionary Statements**

P362 - Take off contaminated clothing and wash before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P273 - Avoid release to the environment

#### 2.3. Other information

# Section 3. Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Chemical Name	EC-No	CAS-No	Weight %	EU - GHS Substance Classification	REACH No.
Barium sulfate	Present	7727-43-7	30-40		No data available
Bisphenol A - Epichlorohydrin polymer	500-033-5	25068-38-6	<10	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Chronic 2 (H411)	No data available
Dipropylene glycol monomethyl ether	Present	34590-94-8	1-5		No data available
Naphtha (petroleum), heavy aromatic	Present	64742-94-5	1-5	Asp. Tox. 1 (H304) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	No data available

For the full text of the H-Statements mentioned in this Section, see Section 16

# Section 4. First aid measures

## 4.1. Description of first-aid measures

General Advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not get in eyes, on skin, or on clothing.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. If skin irritation persists, call a physician.

Ingestion Rinse mouth. Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a

physician.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Revision Date 15-Jun-2015

**Protection of First-aiders** 

Use personal protective equipment.

## 4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects No information available.

#### 4.3. Indication of immediate medical attention and special treatment needed

**Notes to Physician** May cause sensitization of susceptible persons. Treat symptomatically.

# Section 5. Fire-fighting measures

#### 5.1. Extinguishing media

## **Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Foam. Dry chemical.

#### Extinguishing media which must not be used for safety reasons

No information available.

## 5.2. Special hazards arising from the substance or mixture

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 5.3. Advice for firefighters

## Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

## Section 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

### 6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Avoid release to the environment.

## 6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

#### 6.4. Reference to other sections

See Section 12 for additional information.

# Section 7. Handling and storage

#### 7.1. Precautions for Safe Handling

#### Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Do not take internally. Wash thoroughly after handling.

#### **Hygiene Measures**

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children Keep in preparty labeled containers. Keep containers tightly closed in a dry cool and

Keep out of the reach of children. Keep in properly labeled containers. Keep containers tightly closed in a dry, cool and well-ventilated place.

# 7.3. Specific end use(s) Exposure Scenario

No information available.

#### **Other Guidelines**

No information available.

# Section 8. Exposure controls/personal protection

#### 8.1. Control parameters

#### **Exposure Limits**

Chemical Name	EU	The United Kingdom	France	Spain	Germany
Barium sulfate 7727-43-7		STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup>	TWA: 4 mg/m³ TWA: 1.5 mg/m³ Ceiling / Peak: 4 mg/m³
Dipropylene glycol monomethyl ether 34590-94-8	S* TWA 50 ppm TWA 308 mg/m <sup>3</sup>	STEL: 150 ppm STEL: 924 mg/m³ TWA: 50 ppm TWA: 308 mg/m³ Skin	TWA: 50 ppm TWA: 308 mg/m³	S* TWA: 50 ppm TWA: 308 mg/m³	TWA: 50 ppm TWA: 310 mg/m³ Ceiling / Peak: 50 ppm Ceiling / Peak: 310 mg/m³
Component	Italy	Portugal	The Netherlands	Finland	Denmark
Barium sulfate 7727-43-7 ( 30-40 )		TWA: 10 mg/m <sup>3</sup>			
Dipropylene glycol monomethyl ether 34590-94-8 (1-5)	TWA: 50 ppm TWA: 308 mg/m³ Skin	STEL: 150 ppm TWA: 100 ppm	TWA: 300 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 310 mg/m³ Skin	TWA: 50 ppm TWA: 309 mg/m³ Skin
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Barium sulfate 7727-43-7				TWA: 0.5 mg/m <sup>3</sup> STEL: 1.5 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> STEL: 6 mg/m <sup>3</sup>
Dipropylene glycol monomethyl ether 34590-94-8	Skin STEL 100 ppm STEL 614 mg/m <sup>3</sup> TWA: 50 ppm TWA: 307 mg/m <sup>3</sup>	STEL: 50 ppm STEL: 300 mg/m <sup>3</sup> TWA: 50 ppm TWA: 300 mg/m <sup>3</sup>	STEL: 480 mg/m³ TWA: 240 mg/m³	TWA: 50 ppm TWA: 300 mg/m³ Skin STEL: 75 ppm STEL: 375 mg/m³	TWA: 50 ppm TWA: 308 mg/m³ Skin

Derived No Effect Level Predicted No Effect Concentration (PNEC)

No information available No information available.

### 8.2. Exposure controls

**Engineering Measures Personal protective equipment** 

nt
Tightly fitting safety goggles.

Eye Protection
Skin and Body Protection

Lightweight protective clothing. Protective gloves.

Hand Protection Respiratory Protection

In case of inadequate ventilation wear respiratory protection. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

Environmental Exposure Controls Do not allow material to contaminate ground water system.

## Section 9. Physical and chemical properties

Ensure adequate ventilation, especially in confined areas.

### 9.1. Information on basic physical and chemical properties

Physical State Viscous liquid Appearance Cream

Odor Mild Solvent

<u>Property</u> <u>Values</u> <u>Remarks/ - Method</u>

No data available None known pН **Melting Point/Range** No data available None known Boiling Point/Boiling Range No data available None known 105 °C **Flash Point** None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

No data available **Vapor Pressure** None known **Vapor Density** No data available None known **Relative Density** 1.52 at 20 °C Water Solubility No data available None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known None known **Autoignition Temperature** No data available No data available **Decomposition Temperature** None known

Viscosity

No data available

None known

Combustible material: may burn but does not ignite readily.

Explosive Properties No data available Oxidizing Properties No data available

9.2. Other information

VOC Content (%) 14 VOC (q/l) 217

Flammability Limits in Air No data available

# Section 10. Stability and reactivity

#### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

None under normal processing.

#### 10.4. Conditions to avoid

Incompatible products.

#### 10.5. Incompatible materials

Oxidizing agents.

#### 10.6. Hazardous decomposition products

Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Sulfur oxides.

# Section 11. Toxicological information

# 11.1. Information on toxicological effects

**Acute Toxicity** 

**Product Information** 

**Inhalation** There is no data available for this product.

**Eye Contact** Causes serious eye irritation.

Skin Contact Causes skin irritation. May cause allergic skin reaction

**Ingestion** May be harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Bisphenol A - Epichlorohydrin polymer	11400 mg/kg (Rat)	-	-
Dipropylene glycol monomethyl ether	= 5230 mg/kg (Rat)	= 9500 mg/kg ( Rabbit )	
Naphtha (petroleum), heavy aromatic	> 5000 mg/kg (Rat)	> 2 mL/kg(Rabbit)	> 590 mg/m³(Rat) 4 h

Sensitization May cause sensitization of susceptible persons. May cause sensitization by skin contact.

May cause an allergic skin reaction.

Mutagenic EffectsNo information available.Carcinogenic EffectsNo information available.

Reproductive Toxicity

Developmental Toxicity

STOT - single exposure

STOT - repeated exposure

No information available.

No information available.

No information available.

Target Organ Effects Central nervous system (CNS). Eyes. Respiratory system.

Aspiration Hazard No information available.

# Section 12. Ecological information

## 12.1. Toxicity

#### **Ecotoxicity Effects**

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Dipropylene glycol monomethyl ether		LC50 96 h: > 10000 mg/L static (Pimephales promelas)		LC50 48 h: = 1919 mg/L (Daphnia magna)
Naphtha (petroleum), heavy aromatic	EC50 72 h: = 2.5 mg/L (Skeletonema costatum)	LC50 96 h: = 19 mg/L static (Pimephales promelas) LC50 96 h: = 2.34 mg/L (Oncorhynchus mykiss) LC50 96 h: = 1740 mg/L static (Lepomis macrochirus) LC50 96 h: = 45 mg/L flow-through (Pimephales promelas) LC50 96 h: = 41 mg/L (Pimephales promelas)		EC50 48 h: = 0.95 mg/L (Daphnia magna)

## 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential.

Chemical Name	Log Pow
Dipropylene glycol monomethyl ether	-0.064
Naphtha (petroleum), heavy aromatic	2.9 - 6.1

#### 12.4. Mobility in soil

Adsorbs on soil.

### 12.5. Results of PBT and vPvB assessment

No information available.

#### 12.6. Other adverse effects

Chemical Name	EU - Endocrine Disrupters	EU - Endocrine Disruptors -	Japan - Endocrine Disruptor
	Candidate List	Evaluated Substances	Information
Bisphenol A - Epichlorohydrin polymer	Group III Chemical		

# Section 13. Disposal considerations

## 13.1. Waste treatment methods

Waste from Residues / Unused

**Products** 

Dispose of in accordance with local regulations.

**Contaminated Packaging** 

Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

# Section 14. Transport information

#### IMDG/IMO

14.1. UN-Number Not regulated. 14.2. Proper Shipping Name Not regulated. Not regulated. 14.3. Hazard Class 14.4. Packing Group Not regulated. Not applicable. Description

14.5. Marine Pollutant None. 14.6. Special Provisions None.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and

No information available.

the IBC Code

#### RID

14.1. UN-Number Not regulated. Not regulated. 14.2. Proper Shipping Name 14.3. Hazard Class Not regulated. 14.4. Packing Group Not regulated. Not applicable. Description

None. 14.5. Environmental hazard 14.6. Special Provisions None.

#### **ADR**

14.1. UN-Number Not regulated. 14.2. Proper Shipping Name Not regulated. 14.3. Hazard Class Not regulated. Not regulated. 14.4. Packing Group Not applicable. Description

14.5. Environmental hazard None. 14.6. Special Provisions None.

#### ICAO

14.1. UN-Number Not regulated.

Revision Date 15-Jun-2015

14.2. Proper shipping nameNot regulated.14.3. Hazard ClassNot regulated.14.4. Packing GroupNot regulated.DescriptionNot applicable.14.5. Environmental hazardNone.

14.6. Special Provisions None.

IATA

14.1. UN-NumberNot regulated.14.2. Proper Shipping NameNot regulated.14.3. Hazard ClassNot regulated.14.4. Packing GroupNot regulated.DescriptionNot applicable.14.5. Environmental hazardNone.

14.6. Special Provisions None.

# Section 15. Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

TSCA Complies EINECS/ELINCS Complies

DSL/NDSL PICCS ENCS IECSC AICS KECL -

## Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

## 15.2. Chemical Safety Assessment

No information available

# Section 16. Other information

# Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H317 - May cause an allergic skin reaction

H411 - Toxic to aquatic life with long lasting effects

H304 - May be fatal if swallowed and enters airways

H412 - Harmful to aquatic life with long lasting effects

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Key literature references and sources for data

www.ChemADVISOR.com/

Issuing Date 24-May-2015

\_\_\_\_\_

Revision Date 15-Jun-2015

**Revision Note** (M)SDS sections updated: 3.

This safety data sheet complies with the requirements of Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No. 1907/2006

## **General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**