SAFETY DATA SHEET



Issuing Date 24-May-2015 Revision Date 15-Jun-2015 Revision Number 1

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 400424

Product Name CA-40 AUS2, CA-40 HRS

Contains Formaldehyde, polymer with (chloromethyl) oxirane and phenol, Biphenyl, 4,4`-bis-3,3,5,5-tetramethyl-

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Solder mask part B

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Company

Taiyo America, Inc. 2675 Antler Drive Carson City, NV 89701 TEL: 775-885-9959

For further information, please contact

E-mail Address No information available.

1.4. Emergency telephone number

Emergency Telephone 775-885-9959

Number

Europe 112

Section 2. Hazards identification

2.1. - Classification of the substance or mixture

REGULATION (EC) No 1272/2008

RECOEMING (EG) NO 12/2/2000	
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1
Carcinogenicity	Category 2
Chronic Aquatic Toxicity	Category 3

Physical Hazards

None

2.2. Label Elements



Signal Word Warning

Hazard Statements

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H351 - Suspected of causing cancer

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements

P362 - Take off contaminated clothing and wash before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P201 - Obtain special instructions before use

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

2.3. Other information

Section 3. Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical Name	EC-No	CAS-No	Weight %	EU - GHS Substance Classification	REACH No.
Barium sulfate	Present	7727-43-7	30-60		No data available
Formaldehyde, polymer with (chloromethyl) oxirane and phenol	-	9003-36-5	10-30	Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Eye Irrit. 2 (H319) Aquatic Chronic 2 (H411)	No data available
Biphenyl, 4,4`-bis-3,3,5,5-tetramethyl-	413-900-7	85954-11-6	5-10	Carc. 2 (H351) Skin Sens. 1 (H317)	No data available
Naphtha (petroleum), heavy aromatic	Present	64742-94-5	1-5	Asp. Tox. 1 (H304) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	No data available
Dipropylene glycol monomethyl ether	Present	34590-94-8	1-5		No data available

For the full text of the H-Statements mentioned in this Section, see Section 16

Section 4. First aid measures

4.1. Description of first-aid measures

General Advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not get in eyes, on skin, or on clothing.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. If symptoms persist, call a physician.

Skin ContactWash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. If skin irritation persists, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an

unconscious person. If symptoms persist, call a physician.

Inhalation Move to fresh air. If breathing is irregular or stopped, administer artificial respiration. If

symptoms persist, call a physician.

Protection of First-aidersUse personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects No information available.

4.3. Indication of immediate medical attention and special treatment needed

Notes to Physician May cause sensitization of susceptible persons. Treat symptomatically.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO₂). Dry chemical. Dry powder.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases Combustible material. Vapors may travel to source of ignition and flash back.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Evacuate personnel to safe areas. Pay attention to flashback. Take precautionary measures against static discharges. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

Use personal protective equipment. Dam up. Take up with sand or other noncombustible absorbent material and place into containers for later disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

See Section 12 for additional information.

Section 7. Handling and storage

7.1. Precautions for Safe Handling

Handling

Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not breathe vapors or spray mist. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Keep away from heat, sparks and open flame. No smoking. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Do not take internally.

Hygiene Measures

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs. Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from heat and sources of ignition. Keep in properly labeled containers. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Exposure Scenario

No information available.

Other Guidelines

No information available.

Section 8. Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical Name	EU	The United Kingdom	France	Spain	Germany
Barium sulfate 7727-43-7		STEL: 30 mg/m ³ STEL: 12 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³		TWA: 10 mg/m ³	TWA: 4 mg/m³ TWA: 1.5 mg/m³ Ceiling / Peak: 4 mg/m³
Dipropylene glycol monomethyl ether 34590-94-8	S* TWA 50 ppm TWA 308 mg/m³	STEL: 150 ppm STEL: 924 mg/m³ TWA: 50 ppm TWA: 308 mg/m³ Skin	TWA: 50 ppm TWA: 308 mg/m³	S* TWA: 50 ppm TWA: 308 mg/m³	TWA: 50 ppm TWA: 310 mg/m³ Ceiling / Peak: 50 ppm Ceiling / Peak: 310 mg/m³
Component	Italy	Portugal	The Netherlands	Finland	Denmark
Barium sulfate 7727-43-7 (30-60)		TWA: 10 mg/m ³			
Dipropylene glycol monomethyl ether 34590-94-8 (1-5)	TWA: 50 ppm TWA: 308 mg/m³ Skin	STEL: 150 ppm TWA: 100 ppm	TWA: 300 mg/m ³	TWA: 50 ppm TWA: 310 mg/m³ Skin	TWA: 50 ppm TWA: 309 mg/m³ Skin
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Barium sulfate 7727-43-7				TWA: 0.5 mg/m ³ STEL: 1.5 mg/m ³	TWA: 2 mg/m ³ STEL: 6 mg/m ³
Dipropylene glycol monomethyl ether 34590-94-8	Skin STEL 100 ppm STEL 614 mg/m³ TWA: 50 ppm TWA: 307 mg/m³	STEL: 50 ppm STEL: 300 mg/m³ TWA: 50 ppm TWA: 300 mg/m³	STEL: 480 mg/m ³ TWA: 240 mg/m ³	TWA: 50 ppm TWA: 300 mg/m³ Skin STEL: 75 ppm STEL: 375 mg/m³	TWA: 50 ppm TWA: 308 mg/m³ Skin

Derived No Effect Level Predicted No Effect Concentration (PNEC)

No information available No information available.

8.2. Exposure controls

Engineering Measures Personal protective equipment

Eye Protection Safety glasses with side-shields. Long sleeved clothing.

Skin and Body Protection Hand Protection

Protective gloves.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Ensure adequate ventilation, especially in confined areas.

Environmental Exposure Controls No information available.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Viscous liquid Appearance Off-white

Odor Mild Solvent

<u>Property</u> <u>Values</u> <u>Remarks/ - Method</u>

No data available None known Hq Melting Point/Range No data available None known **Boiling Point/Boiling Range** No data available None known 78 °C Flash Point None known No data available None known **Evaporation rate** None known No data available Flammability (solid, gas)

No data available **Vapor Pressure** None known Vapor Density No data available None known **Relative Density** None known Water Solubility No data available None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known **Viscosity** No data available None known

Flammable Properties

Explosive Properties

Oxidizing Properties

Combustible material: may burn but does not ignite readily.

No data available

No data available

9.2. Other information

VOC Content (%) 9 **VOC (g/l)** 144

Flammability Limits in Air No data available

Section 10. Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Incompatible products. Heat, flames and sparks.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx).

Section 11. Toxicological information

11.1. Information on toxicological effects

Acute Toxicity

Product Information

Inhalation There is no data available for this product.

Eye Contact Causes serious eye irritation.

Skin Contact Causes skin irritation. May cause allergic skin reaction

Ingestion There is no data available for this product.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Formaldehyde, polymer with (chloromethyl) oxirane and phenol	> 2 g/kg (Rat)	> 400 mg/kg (Rat)	
Dipropylene glycol monomethyl ether	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	
Naphtha (petroleum), heavy aromatic	> 5000 mg/kg (Rat)	> 2 mL/kg(Rabbit)	> 590 mg/m³(Rat)4 h

Sensitization May cause sensitization of susceptible persons. May cause sensitization by skin contact.

Mutagenic Effects No information available.

Carcinogenic Effects Contains a known or suspected carcinogen. May cause cancer.

Reproductive Toxicity
Developmental Toxicity
STOT - single exposure
STOT - repeated exposure
Target Organ Effects
Aspiration Hazard
No information available.
No information available.
Eyes. Respiratory system.
No information available.

Section 12. Ecological information

12.1. Toxicity

Ecotoxicity Effects

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Naphtha (petroleum), heavy aromatic	EC50 72 h: = 2.5 mg/L (Skeletonema costatum)	LC50 96 h: = 19 mg/L static (Pimephales promelas) LC50 96 h: = 2.34 mg/L (Oncorhynchus mykiss) LC50 96 h: = 1740 mg/L static (Lepomis macrochirus) LC50 96 h: = 45 mg/L flow-through (Pimephales promelas) LC50 96 h: = 41 mg/L (Pimephales promelas)		EC50 48 h: = 0.95 mg/L (Daphnia magna)
Dipropylene glycol monomethyl ether		LC50 96 h: > 10000 mg/L static (Pimephales promelas)		LC50 48 h: = 1919 mg/L (Daphnia magna)

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential.

Chemical Name	Log Pow
Naphtha (petroleum), heavy aromatic	2.9 - 6.1
Dipropylene glycol monomethyl ether	-0.064

12.4. Mobility in soil

Adsorbs on soil.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

This product does not contain any known or suspected endocrine disruptors.

Section 13. Disposal considerations

13.1. Waste treatment methods

Waste from Residues / Unused

Products

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Section 14. Transport information

IMDG/IMO

14.1. UN-NumberNot regulated.14.2. Proper Shipping NameNot regulated.14.3. Hazard ClassNot regulated.14.4. Packing GroupNot regulated.DescriptionNot applicable.14.5. Marine PollutantNone.

14.5. Marine PollutantNone. **14.6. Special Provisions**None.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and

No information available.

the IBC Code

RID

14.1. UN-NumberNot regulated.14.2. Proper Shipping NameNot regulated.14.3. Hazard ClassNot regulated.14.4. Packing GroupNot regulated.DescriptionNot applicable.

14.5. Environmental hazard None. **14.6. Special Provisions** None.

ADR

14.1. UN-NumberNot regulated.14.2. Proper Shipping NameNot regulated.14.3. Hazard ClassNot regulated.14.4. Packing GroupNot regulated.DescriptionNot applicable.

14.5. Environmental hazard None. **14.6. Special Provisions** None.

ICAO

14.1. UN-NumberNot regulated.14.2. Proper shipping nameNot regulated.14.3. Hazard ClassNot regulated.14.4. Packing GroupNot regulated.DescriptionNot applicable.

Revision Date 15-Jun-2015

14.5. Environmental hazard None. **14.6. Special Provisions** None.

IATA

14.1. UN-NumberNot regulated.14.2. Proper Shipping NameNot regulated.14.3. Hazard ClassNot regulated.14.4. Packing GroupNot regulated.DescriptionNot applicable.14.5. Environmental hazardNone.

14.5. Environmental hazard None.14.6. Special Provisions None.

Section 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

TSCA Complies EINECS/ELINCS Complies

DSL/NDSL PICCS ENCS IECSC AICS KECL -

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical Safety Assessment

No information available

Section 16. Other information

Full text of H-Statements referred to under sections 2 and 3

H317 - May cause an allergic skin reaction

H315 - Causes skin irritation

H319 - Causes serious eve irritation

H411 - Toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

H351 - Suspected of causing cancer

H304 - May be fatal if swallowed and enters airways

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Key literature references and sources for data

www.ChemADVISOR.com/

Issuing Date 24-May-2015
Revision Date 15-Jun-2015

Revision Note (M)SDS sections updated: 3.

This safety data sheet complies with the requirements of Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No. 1907/2006

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet