Issuing Date 07-Jan-2016

Revision Date 03-Feb-2017

SAFETY DATA SHEET Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier	
Product Name	PSR-4000 HFX All Colors
Other means of identification	
Product Code(s)	400453, 400463, 400447, 400464, 400458, 400455, 400459, 400457, 400466
Synonyms	PSR-4000 HFX Gloss Black, PSR-4000 HFX Matte Black, PSR-4000 HFX Matte Blue, PSR-4000 HFX Satin, PSR-4000 HFX Satin Black, PSR-4000 HFX Satin Blue, PSR-4000 HFX Satin Clear, PSR-4000 HFX Satin Red, PSR-4000 HFX Satin White
Recommended use of the chemica	l and restrictions on use
Recommended Use	Solder mask part A
Uses advised against	No information available
Supplier's details	
Initial Supplier Canadian address required	Supplier Address Taiyo America, Inc. 2675 Antler Drive Carson City, NV 89701 TEL: 775-885-9959
Emergency telephone number	
Emergency Telephone Number	775-885-9959
	2. HAZARDS IDENTIFICATION
Classification	

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Reproductive Toxicity Category 1B

Label Elements

Danger



Hazard Statements

May damage fertility or the unborn child

Physical and Health Hazards Not Otherwise Classified Not applicable.

Precautionary Statements

Prevention

- · Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- · Use personal protective equipment as required.

General Advice

• If exposed or concerned: Get medical attention/advice

StorageStore locked up.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Other information

Harmful to aquatic life with long lasting effects.

76.56% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

PSR-4000 HFX Gloss Black, PSR-4000 HFX Matte Black, PSR-4000 HFX Matte Blue, PSR-4000 HFX Satin, PSR-4000 HFX Satin Black, PSR-4000 HFX Satin Blue, PSR-4000 HFX Satin Clear, PSR-4000 HFX Satin Red, PSR-4000 HFX Satin White

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Barium sulfate	7727-43-7	25.7	-	-
Titanium dioxide	13463-67-7	23.71	-	-
Iron manganese oxide ((Fe,Mn)2O3)	75864-23-2	10.5	-	-
Silica	112945-52-5	5.21	-	-
Talc	14807-96-6	3.27	-	-
1-Propanone,	71868-10-5	2.91	-	-
2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-				
Naphtha (petroleum), heavy aromatic	64742-94-5	2.09	-	-
Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide	75980-60-8	0.83	-	-

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing. If symptoms persist, call a physician.
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Consult a physician if necessary.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. If symptoms persist, call a physician.				
Most important symptoms/effects, acute and delayed					
Most Important Symptoms/Effects No information available.					
Indication of immediate medical atte	ention and special treatment needed, if necessary				
Notes to Physician	Treat symptomatically.				
	5. FIRE-FIGHTING MEASURES				
Suitable Extinguishing Media	Water spray. Carbon dioxide (CO 2). Dry chemical. Dry powder.				
Unsuitable Extinguishing Media	No information available.				
Specific Hazards Arising from the Chemical	No information available.				
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	t None. None.				
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.				
	6. ACCIDENTAL RELEASE MEASURES				
Personal precautions, protective eq	uipment and emergency procedures				
Personal Precautions	Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal protective equipment.				
Environmental Precautions					
Environmental Precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Avoid release to the environment. See Section 12 for additional Ecological Information.				
Methods and materials for containment and cleaning up					
Methods for Containment	Prevent further leakage or spillage if safe to do so.				
Methods for Cleaning Up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.				
7. HANDLING AND STORAGE					
Precautions for safe handling					
Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Do not take internally. Wash thoroughly after handling.				
Conditions for safe storage, includi	ng any incompatibilities				
Storage	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.				
Incompatible Products	Strong oxidizing agents. Strong acids. Strong bases.				

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Barium sulfate 7727-43-7	TWA: 5 mg/m ³ inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust	IDLH: 5000 mg/m ³
Iron manganese oxide ((Fe,Mn)2O3) 75864-23-2	TWA: 1 mg/m ³ Fe TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter	(vacated) TWA: 1 mg/m ³ Fe (vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³ Mn	IDLH: 500 mg/m³ Mn TWA: 1 mg/m³ Fe TWA: 1 mg/m³ Mn STEL: 3 mg/m³ Mn
Silica 112945-52-5	-	(vacated) TWA: 6 mg/m ³ <1% Crystalline silica TWA: 20 mppcf : (80)/(% SiO2) mg/m ³ TWA	IDLH: 3000 mg/m ³ TWA: 6 mg/m ³
Talc 14807-96-6	TWA: 2 mg/m ³	(vacated) TWA: 2 mg/m ³	IDLH: 1000 mg/m ³ containg no asbestos and <1% quartz TWA: 2 mg/m ³
Dipropylene glycol monomethyl ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m ³ (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m ³ STEL: 150 ppm STEL: 900 mg/m ³

Appropriate engineering controls

Engineering Measures

Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection	Goggles. Lightweight protective clothing. Impervious gloves. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Viscous liquid.	Appearance	Varies.
Odor	Mild Solvent.	Odor Threshold	No information available.
<u>Property</u>	Values	<u>Remarks/ - Met</u>	<u>hod</u>
pH	No data available	None known	
Melting Point/Range	No data available	None known	
Boiling Point/Boiling Range	No data available	None known	
Flash Point	107 °C	None known	
Evaporation rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	

Flammability Limits in Air		
upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available	None known
Vapor Density	No data available	None known
Specific Gravity	1.38	None known
Water Solubility	No data available	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/wat	erNo data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	No data available	None known
Flammable Properties	Combustible material: may burn	out does not ignite readily
Explosive Properties	No data available	
Oxidizing Properties	No data available	
Other information		
VOC Content (%)	28	
VOC (g/l)	360-440	

10. STABILITY AND REACTIVITY

<u>Reactivity</u>	No data available.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Incompatible products.
Incompatible materials	Strong oxidizing agents. Strong acids. Strong bases.

Hazardous decomposition products Carbon dioxide (CO2). Carbon monoxide (CO). Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information
InhalationThere is no data available for this product.
Contact with eyes may cause irritation.Eye Contact
Skin Contact
IngestionThere is no data available for this product.
There is no data available for this product.

Numerical measures of toxicity - Product			
Unknown acute toxicity	76.56% of the mixture consists of ingredient(s) of unknown toxicity.		
The following values are calculated based on chapter 3.1 of the GHS document:			
LD50 Oral	3190 mg/kg; Acute toxicity estimate		
LD50 Dermal	38913 mg/kg; Acute toxicity estimate		

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Diethylene glycol monoethyl ether	= 11 g/kg (Rat)	= 15100 µL/kg (Rabbit)	-
acetate			
Titanium dioxide	> 10000 mg/kg (Rat)	-	-
Silica	= 3160 mg/kg (Rat)	-	-
Naphtha (petroleum), heavy	> 5000 mg/kg (Rat)	> 2 mL/kg (Rabbit)	> 590 mg/m³ (Rat)4 h

aromatic

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization No information available. Germ Cell Mutagenicity No information available. This product contains titanium dioxide in a non-respirable form. Inhalation of titanium Carcinogenicity dioxide is unlikely to occur from exposure to this product.

ACGIH OSHA **Chemical Name** IARC NTP Titanium dioxide Group 2B --Silica Group 3 Talc Group 3 Х

IARC: (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to its Carcinogenicity to Humans

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity STOT - single exposure	Contains a known or suspected reproductive toxin. May damage fertility or the unborn child No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Silica 112945-52-5	EC50 72 h: = 440 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: = 5000 mg/L static (Brachydanio rerio)		EC50 48 h: = 7600 mg/L (Ceriodaphnia dubia)
Talc 14807-96-6		LC50 96 h: > 100 g/L semi-static (Brachydanio rerio)		
Naphtha (petroleum), heavy aromatic 64742-94-5	EC50 72 h: = 2.5 mg/L (Skeletonema costatum)	LC50 96 h: = 1740 mg/L static (Lepomis macrochirus) LC50 96 h: = 19 mg/L static (Pimephales promelas) LC50 96 h: = 2.34 mg/L (Oncorhynchus mykiss) LC50 96 h: = 41 mg/L (Pimephales promelas) LC50 96 h: = 45 mg/L flow-through (Pimephales promelas)		EC50 48 h: = 0.95 mg/L (Daphnia magna)

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Log Pow
Naphtha (petroleum), heavy aromatic	6.1

Mobility

No information available.

Other Adverse Effects No information available. **13. DISPOSAL CONSIDERATIONS** Waste Disposal Methods Should not be released into the environment. Dispose of in accordance with local regulations. **Contaminated Packaging** Do not re-use empty containers. **14. TRANSPORT INFORMATION** DOT Not regulated TDG Not regulated Not regulated MEX Not regulated. IATA

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances Persistent Organic Pollutants	Not applicable Not applicable
Hazardous Waste	Not applicable
The Rotterdam Convention (Prior	Not applicable
Informed Consent)	
International Convention for the	Not applicable
Prevention of Pollution from Ships	
(MARPOL)	

International Inventories	
TSCA	Complies
DSL	Not determined
EINECS	Complies
ELINCS	Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Diethylene glycol monoethyl ether acetate	112-15-2	29.81	1.0
Iron manganese oxide ((Fe,Mn)2O3)	75864-23-2	10.5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40

CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Titanium dioxide	13463-67-7	Carcinogen
Ethylbenzene	100-41-4	Carcinogen
Naphthalene	91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Barium sulfate	Х	X	Х		
Titanium dioxide	Х	Х	Х		Х
Silica	Х	Х	Х		
Talc	Х	Х	Х	Х	Х
Dipropylene glycol monomethyl ether	Х	X	X	Х	x
Silica gel		Х	Х		
Xylene, mixed isomers	Х	Х	Х	Х	Х
Ethylbenzene	Х	Х	Х	Х	Х
Phosphoric acid	Х	Х	Х		Х
Naphthalene	Х	Х	Х	Х	
Isobutyl alcohol	Х	Х	Х		Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard 1	Flammability 1	Instability 0	Physical and Chemical Hazards -
HMIS_ *Indicates a chron	Health Hazard 1* hic health hazard.	Flammability 1	Physical Hazard 0	Personal Protection X

Prepared By	Product Stewardship
	23 British American Blvd.
	Latham, NY 12110
	1-800-572-6501
Issuing Date	07-Jan-2016
Revision Date	03-Feb-2017
Revision Note	Update to Format.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet