1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING **GHS** product identifier PSR-4000 LDI (US), PSR-4000 LDI (US) Black, PSR-4000 LDI (US) Red, PSR-4000 LDI (US) Blue, PSR-4000 LDI (US) Clear 800013, 800039, 800027, 800082, 800038 None Solder mask part A No information available Supplier Address Taiyo America, Inc. 2675 Antler Drive Carson City, NV 89701 TEL: 775-885-9959 775-885-9959 2. HAZARDS IDENTIFICATION Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Skin Sensitization	Category 1
Reproductive Toxicity	Category 1B

## Label Elements

Issuing Date 24-May-2015

## Danger


## SAFETY DATA SHEET

Revision Date 03-Feb-2017

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

# **Product Name** Other means of identification Product Code(s) **Synonyms** Recommended use of the chemical and restrictions on use **Recommended Use** Uses advised against **Supplier's details** Initial Supplier Canadian address required **Emergency telephone number Emergency Telephone** Number





#### Hazard Statements

May cause an allergic skin reaction May damage fertility or the unborn child

## Physical and Health Hazards Not Otherwise Classified

Not applicable.

## Precautionary Statements

#### Prevention

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- · Wear protective gloves.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.

#### **General Advice**

- If exposed or concerned: Get medical attention/advice
- Specific treatment (see supplemental first aid instructions on this label)

#### Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- Wash contaminated clothing before reuse.

#### Storage

· Store locked up.

#### Disposal

• Dispose of contents/container to an approved waste disposal plant.

#### Other information

Toxic to aquatic life with long lasting effects.

53.171% of the mixture consists of ingredient(s) of unknown toxicity.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Barium sulfate	7727-43-7	22.572	-	-
Naphtha (petroleum), heavy aromatic	64742-94-5	10.6422	-	-
Iron manganese oxide ((Fe,Mn)2O3)	75864-23-2	10.1521	-	-
Dipropylene glycol monomethyl ether	34590-94-8	7.6986	-	-
Talc	14807-96-6	3.181	-	-
Silicon dioxide	7631-86-9	3.0492	-	-
Silica, amorphous, fumed, crystal-free	112945-52-5	3.0492	-	-
Trimethylolpropane triacrylate	15625-89-5	1.6872	-	-
1-Propanone,	71868-10-5	0.643	-	-
2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-				
Titanium dioxide	13463-67-7	0.272	-	-

## 4. FIRST AID MEASURES

## Description of necessary first-aid measures

General Advice	If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.	
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.	
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Consult a physician if necessary.	
Inhalation	Move to fresh air. If symptoms persist, call a physician. If breathing is difficult, give oxygen.	
Ingestion	Rinse mouth. Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.	
Protection of First-aiders	Use personal protective equipment. Avoid contact with skin, eyes and clothing.	
Most important symptoms/effects, a	acute and delayed	
Most Important Symptoms/Effects	May cause allergic skin reaction. Itching. Rashes.	
Indication of immediate medical atte	ention and special treatment needed, if necessary	
Notes to Physician	Treat symptomatically.	
	5. FIRE-FIGHTING MEASURES	
Suitable Extinguishing Media	Water spray. Carbon dioxide (CO 2). Dry powder. Dry chemical.	
Unsuitable Extinguishing Media	No information available.	
Specific Hazards Arising from the Chemical	Thermal decomposition can lead to release of irritating gases and vapors. May cause sensitization by skin contact.	
Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	t None. None.	
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective eq	uipment and emergency procedures	
Personal Precautions	Use personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.	
Environmental Precautions		
Environmental Precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. D not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas. Avoid release to the environment. See Section 12 for additional Ecological Information.	
Methods and materials for containm	nent and cleaning up	
Methods for Containment	Prevent further leakage or spillage if safe to do so.	

## Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not Handling breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not take internally.

## Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Strong oxidizing agents. Strong acids. Strong bases. **Incompatible Products** 

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Control parameters**

Storage

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Barium sulfate 7727-43-7	TWA: 5 mg/m <sup>3</sup> inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Iron manganese oxide ((Fe,Mn)2O3) 75864-23-2	TWA: 1 mg/m <sup>3</sup> Fe TWA: 0.02 mg/m <sup>3</sup> Mn respirable particulate matter TWA: 0.1 mg/m <sup>3</sup> Mn inhalable particulate matter	(vacated) TWA: 1 mg/m <sup>3</sup> Fe (vacated) Ceiling: 5 mg/m <sup>3</sup> Ceiling: 5 mg/m <sup>3</sup> Mn	IDLH: 500 mg/m³ Mn TWA: 1 mg/m³ Fe TWA: 1 mg/m³ Mn STEL: 3 mg/m³ Mn
Dipropylene glycol monomethyl ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>
Talc 14807-96-6	TWA: 2 mg/m <sup>3</sup>	(vacated) TWA: 2 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup> containg no asbestos and <1% quartz TWA: 2 mg/m <sup>3</sup>
Silica, amorphous, fumed, crystal-free 112945-52-5	10 mg/m <sup>3</sup>	TWA: 20 mppcf; ((80)/(% SiO2) mg/m³)	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>
Silicon dioxide 7631-86-9	10 mg/m <sup>3</sup>	20 mppcf TWA; ((80)/(% SiO2) mg/m³)	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	IDLH: 5000 mg/m <sup>3</sup>

#### Appropriate engineering controls

#### Showers **Engineering Measures** Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection	Goggles. Long sleeved clothing. Protective gloves. In case of inadequate ventilation wear respiratory protection. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
Hygiene Measures	When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical State Odor	Viscous liquid. Mild Solvent.	Appearance Odor Threshold	Various. No information available.
<u>Property</u> pH	<u>Values</u> No data available	<u>Remarks/ - N</u> None known	lethod_
Melting Point/Range	No data available	None known	
Boiling Point/Boiling Range	No data available	None known	
Flash Point	100 °C	None known	
Evaporation rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limits in Air			
upper flammability limit	No data available		
lower flammability limit	No data available		
Vapor Pressure	No data available	None known	
Vapor Density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	No data available	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octane	ol/waterNo data available	None known	
Autoignition Temperature	No data available	None known	
Decomposition Temperature	No data available	None known	
Viscosity	No data available	None known	
Flammable Properties	Combustible materia	I: may burn but does not ignite re	adily
Explosive Properties	No data available		
Oxidizing Properties	No data available		
Other information			
VOC Content (%)	29		
VOC (g/l)	395		

## **10. STABILITY AND REACTIVITY**

Reactivity	No data available.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Incompatible products.
Incompatible materials	Strong oxidizing agents. Strong acids. Strong bases.
Hazardous decomposition products	s Carbon monoxide (CO). Carbon dioxide (CO2). Sulfur oxides.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

#### **Product Information**

toxicity.

Inhalation	There is no data available for this product.
Eye Contact	Contact with eyes may cause irritation.
Skin Contact	Causes mild skin irritation May cause allergic skin reaction.
Ingestion	May be harmful if swallowed.

Numerical measures of toxicity - Pr	oduct_
Unknown acute toxicity	53.171% of the mixture consists of ingredient(s) of unknown t
The following values are calculated	d based on chapter 3.1 of the GHS document:
LD50 Oral	3217 mg/kg; Acute toxicity estimate
LD50 Dermal	41727 mg/kg; Acute toxicity estimate
Inhalation	
dust/mist	22 mg/L; Acute toxicity estimate
Vapor	89 mg/L; Acute toxicity estimate
dust/mist	5

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Naphtha (petroleum), heavy	> 5000 mg/kg (Rat)	> 2 mL/kg (Rabbit)	> 590 mg/m³ (Rat)4 h
aromatic			
Dipropylene glycol monomethyl	= 5400 μL/kg (Rat)	= 9500 mg/kg (Rabbit)	-
ether			
Silica, amorphous, fumed,	= 3160 mg/kg (Rat)	-	-
crystal-free			
Silicon dioxide	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	>2.2 mg/L (Rat)4 h
Trimethylolpropane triacrylate	> 5000 mg/kg (Rat)	= 5000 mg/kg (Rabbit)	-
Titanium dioxide	> 10000 mg/kg (Rat)	-	> 6820 mg/m <sup>3</sup>

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

## Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin SensitizationMay cause sensitization of susceptible persons. May cause sensitization by skin contact.<br/>No information available.<br/>This product contains titanium dioxide in a non-respirable form. Inhalation of titanium<br/>dioxide is unlikely to occur from exposure to this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Talc		Group 3		Х
Silicon dioxide		Group 3		
Silica, amorphous, fumed, crystal-free		Group 3		
Titanium dioxide		Group 2B		Х

## IARC: (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to its Carcinogenicity to Humans

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity STOT - single exposure STOT - repeated exposure Target Organ Effects	Contains a known or suspected reproductive toxin. May damage fertility or the unborn child No information available. No information available. Liver. Kidney. Respiratory system. Eyes. Skin. Central nervous system (CNS). Blood. Gastrointestinal tract (GI).
Aspiration Hazard	No information available.

## **12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Naphtha (petroleum), heavy aromatic 64742-94-5	EC50 72 h: = 2.5 mg/L (Skeletonema costatum)	LC50 96 h: = 1740 mg/L static (Lepomis macrochirus) LC50 96 h: = 19 mg/L static (Pimephales promelas) LC50 96 h: = 2.34 mg/L (Oncorhynchus mykiss) LC50 96 h: = 41 mg/L (Pimephales promelas) LC50 96 h: = 45 mg/L flow-through (Pimephales promelas)		EC50 48 h: = 0.95 mg/L (Daphnia magna)
Dipropylene glycol monomethyl ether 34590-94-8		LC50 96 h: > 10000 mg/L static (Pimephales promelas)		LC50 48 h: = 1919 mg/L (Daphnia magna)
Talc 14807-96-6		LC50 96 h: > 100 g/L semi-static (Brachydanio rerio)		
Silica, amorphous, fumed, crystal-free 112945-52-5	EC50 72 h: = 440 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: = 5000 mg/L static (Brachydanio rerio)		EC50 48 h: = 7600 mg/L (Ceriodaphnia dubia)
Silicon dioxide 7631-86-9	EC50 72 h: = 440 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: = 5000 mg/L static (Brachydanio rerio)		EC50 48 h: = 7600 mg/L (Ceriodaphnia dubia)

Persistence and Degradability No information available.

## **Bioaccumulation**

Chemical Name		Log Pow	
Naphtha (petroleum), I		6.1	
Dipropylene glycol monomethyl ether		-0.064	
Mobility	No information available.		
Other Adverse Effects	No information available.		
	13. DISPOSAL C	ONSIDERATIONS	
Waste Disposal Methods	Should not be released into the environment. Dispose of in accordance with local regulations.		
Contaminated Packaging	Do not re-use empty containers.		
	14. TRANSPOR	[ INFORMATION	
Note:	Not regulated in quantities IMDG 2.10.2.7 and ADR S	less than 5 liter per individual container. See IATA SP A197, SP 375.	
DOT	Not regulated		
<u>TDG</u> UN-Number Proper Shipping Name Hazard Class Packing Group Description	UN3082 Environmentally hazardou 9 III UN3082, Environmentally aromatic), 9, III, Marine Po	hazardous substance, liquid, n.o.s. (Naphtha (petroleum), heavy	
MEX_ UN-Number	UN3082		

Proper Shipping Name Hazard Class Packing Group Description	Environmentally hazardous substance, liquid, n.o.s. 9 III UN3082, Environmentally hazardous substance, liquid, n.o.s. (Naphtha (petroleum), heavy aromatic), 9, III
IATA	UN3082
UN-Number	Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name	9
Hazard Class	III
Packing Group	9L
ERG Code	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Naphtha (petroleum), heavy
Description	aromatic), 9, III
IMDG/IMO	UN3082
UN-Number	Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name	9
Hazard Class	III
Packing Group	F-A, S-F
EmS No.	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Naphtha (petroleum), heavy
Description	aromatic), 9, III, Marine Pollutant

## 15. REGULATORY INFORMATION

#### International Regulations

Ozone depleting substances Persistent Organic Pollutants Hazardous Waste	Not applicable Not applicable
	Not applicable
The Rotterdam Convention (Prior	Not applicable
Informed Consent)	
International Convention for the	Not applicable
Prevention of Pollution from Ships	
(MARPOL)	
International Inventories	
TSCA	Complies

Complies
Not determined
Complies
Complies

## Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

## U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Diethylene glycol monoethyl ether acetate	112-15-2	18.7991	1.0

## SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

## Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## U.S. State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Titanium dioxide	13463-67-7	Carcinogen
Naphthalene	91-20-3	Carcinogen

## U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Barium sulfate	Х	Х	Х		
Dipropylene glycol monomethyl ether	Х	Х	Х	X	X
Talc	Х	Х	Х	Х	Х
Silica, amorphous, fumed, crystal-free	Х	Х	Х		
Melamine	Х	Х	Х		
Titanium dioxide	Х	Х	Х	-	Х
Phosphoric acid	X	X	X		X
1,2,4 Trimethylbenzene	Х	Х	Х	Х	Х

## U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard 2	Flammability 1	Instability 0	Physical and Chemical Hazards -
HMIS *Indicates a chronic	Health Hazard 2* health hazard.	Flammability 1	Physical Hazard 0	Personal Protection X

Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110
	1-800-572-6501
Issuing Date	24-May-2015
Revision Date	03-Feb-2017
Revision Note	Update to Format.

#### General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**