SAFETY DATA SHEET

Issuing Date 24-May-2015 Revision Date 03-Feb-2017 Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name CA-40 MP, PIHP-200 Part B

Other means of identification

Product Code(s) 400430

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Solder mask part B

Uses advised against No information available

Supplier's details

Initial Supplier Supplier Address

Canadian address required

Taiyo America, Inc.
2675 Antler Drive
Carson City, NV 89701

TEL: 775-885-9959

Emergency telephone number

Emergency Telephone

Number

775-885-9959

2. HAZARDS IDENTIFICATION

Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Acute Oral Toxicity	Category 4
Serious Eye Damage/Eye Irritation	Category 1
Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 1B
Specific Target Organ Toxicity (Repeated Exposure)	Category 2
Flammable liquids	Category 4

Label Elements

Danger



Hazard Statements

Harmful if swallowed
Causes serious eye damage
May cause an allergic skin reaction
May cause genetic defects
May cause damage to organs through prolonged or repeated exposure
Combustible liquid.

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- · Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.
- Contaminated work clothing should not be allowed out of the workplace.
- Do not breathe dust/fume/gas/mist/vapors/spray.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

- If exposed or concerned: Get medical attention/advice
- Specific treatment (see supplemental first aid instructions on this label)

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a POISON CENTER or doctor/physician.

Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- · Wash contaminated clothing before reuse.

Ingestion

- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- · Rinse mouth.

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

Storage

- Store locked up.
- Store in a well-ventilated place. Keep cool.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Other information

23.19% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	
Barium sulfate	7727-43-7	20.62	-	-
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)-	2451-62-9	20.62	-	-
Dipropylene glycol monomethyl ether	34590-94-8	20.1	-	-
Kaolin	1332-58-7	15.46	-	-

4. FIRST AID MEASURES

Description of necessary first-aid measures

General Advice Immediate medical attention is required. If symptoms persist, call a physician.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Keep

eye wide open while rinsing. If symptoms persist, call a physician.

Skin ContactWash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. If skin irritation persists, call a physician.

Inhalation Move to fresh air.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or Poison Control Center immediately. Clean mouth with water and afterwards

drink plenty of water.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects May cause allergic skin reaction. Itching. Rashes. Serious eye irritation or damage.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically. May cause sensitization of susceptible persons.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry powder. Dry chemical, CO₂, water spray or regular foam.

<u>Unsuitable Extinguishing Media</u> No information available.

Specific Hazards Arising from the

Chemical

Combustible material. Vapors may travel to source of ignition and flash back. Burning produces obnoxious and toxic fumes. Carbon oxides. Sulfur oxides. Risk of ignition. In the event of fire and/or explosion do not breathe fumes. Keep product and empty container away from heat and sources of ignition. May cause sensitization by skin contact.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Yes.

None.

Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with

skin, eyes and clothing. Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Take precautionary measures against static discharges. Pay attention to flashback. In case of insufficient ventilation wear suitable respiratory equipment.

Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. See Section 12 for additional

Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Dam up. Take up with sand, earth or other noncombustible absorbent material. Pick up and

transfer to properly labeled containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not

breathe vapors or spray mist. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). In case of insufficient ventilation, wear suitable respiratory equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Use only in area provided with appropriate exhaust ventilation. Keep away from heat, sparks and open flame. No smoking. Do not take

internally.

Conditions for safe storage, including any incompatibilities

Storage Keep in properly labeled containers. Keep away from heat and sources of ignition. Keep out

of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated

place.

Incompatible Products Strong oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
1,3	5,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)- 2451-62-9	TWA: 0.05 mg/m ³	-	-
	Barium sulfate 7727-43-7	TWA: 5 mg/m³ inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 10 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Dip	oropylene glycol monomethyl ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m³ (vacated) STEL: 900 mg/m³ S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m³ STEL: 150 ppm STEL: 900 mg/m³
	Kaolin 1332-58-7	TWA: 2 mg/m³ particulate matter containing no asbestos and <1% crystalline silica, respirable	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 10 mg/m³ total	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust

fraction	dust	
	(vacated) TWA: 5 mg/m ³	
	respirable fraction	

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles.

Skin and Body Protection Lightweight protective clothing. Impervious gloves.

Respiratory Protection No special protective equipment required. If exposure limits are exceeded or irritation is

experienced, NIOSH/MSHA approved respiratory protection should be worn.

Hygiene Measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing. Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Viscous liquid. Appearance Off-white.

Odor Mild Solvent. Odor Threshold No information available.

Property Values Remarks/ - Method
No data available None known

рΗ No data available None known **Melting Point/Range** No data available None known **Boiling Point/Boiling Range** No data available None known 78 °C **Flash Point** None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data availableVapor PressureNo data available

None known **Vapor Density** No data available None known **Specific Gravity** No data available None known Water Solubility No data available None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known No data available **Autoignition Temperature** None known No data available **Decomposition Temperature** None known **Viscosity** No data available None known

Flammable Properties Combustible material: may burn but does not ignite readily

Explosive PropertiesNo data available **Oxidizing Properties**No data available

Other information

VOC Content (%) 23 VOC (g/l) 344

10. STABILITY AND REACTIVITY

Reactivity No data available.

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

<u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

<u>Conditions to avoid</u> Heat, flames and sparks. Incompatible products.

Incompatible materials Strong oxidizing agents. Strong acids. Strong bases.

Hazardous decomposition products Carbon oxides. Nitrogen oxides (NOx). Sulfur oxides. Barium oxides. Burning produces

obnoxious and toxic fumes.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Not an expected route of exposure. Harmful if inhaled.

Eye ContactCauses serious eye damage. **Skin Contact**May cause allergic skin reaction.

Ingestion Harmful if swallowed.

Numerical measures of toxicity - Product

Unknown acute toxicity 23.19% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 675 mg/kg; Acute toxicity estimate **LD50 Dermal** 24568 mg/kg; Acute toxicity estimate

Inhalation

dust/mist1.9 mg/L; Acute toxicity estimateVapor11.2 mg/L; Acute toxicity estimate

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
1,3,5-Triazine-2,4,6(1H,3H,5H)-trion	= 188 mg/kg (Rat)	-	= 0.65 mg/L (Rat) 4 h > 0.65 mg/L
e, 1,3,5-tris(oxiranylmethyl)-			(Rat) 4 h
Dipropylene glycol monomethyl	= 5400 μL/kg (Rat)	= 9500 mg/kg (Rabbit)	-
ether			
Kaolin	> 5 g/kg (Rat)	-	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization

Germ Cell Mutagenicity

Carcinogenicity

May cause sensitization of susceptible persons. May cause sensitization by skin contact.

Contains a known or suspected mutagen. May cause genetic defects.

Contains no ingredients above reportable quantities listed as a carcinogen.

Reproductive ToxicitySTOT - single exposure
No information available.
No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Target Organ Effects Respiratory system. Eyes. Central nervous system (CNS).

Aspiration Hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Dipropylene glycol		LC50 96 h: > 10000 mg/L	organionio	LC50 48 h: = 1919 mg/L
monomethyl ether 34590-94-8		static (Pimephales promelas)		(Daphnia magna)

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Dipropylene glycol monomethyl ether	-0.064

No information available. Mobility

No information available. Other Adverse Effects

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

According to 49 CRF §173.150(f)(1), this material should be reclassified as NA1993, Note:

Combustible Liquid, NOS if it is shipped in bulk.

Not regulated **DOT**

TDG Not regulated

MEX Not regulated

IATA Not regulated

Not regulated IMDG/IMO

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances Not applicable **Persistent Organic Pollutants** Not applicable **Hazardous Waste** Not applicable The Rotterdam Convention (Prior Not applicable

Informed Consent)

International Convention for the

Prevention of Pollution from Ships

(MARPOL)

Not applicable

International Inventories

TSCA Complies **DSL** Complies **EINECS** Complies **ELINCS** Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Diethylene glycol monoethyl ether acetate	112-15-2	2.58	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
1,3,5-Triazine-2,4,6(1H,3H,5 H)-trione, 1,3,5-tris(oxiranylmethyl)-	X				
Barium sulfate	Χ	X	X		
Dipropylene glycol monomethyl ether	Х	Х	Х	Х	Х
Kaolin	X	X	X	_	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 3	Flammability 2	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard 3*	Flammability 2	Physical Hazard 0	Personal Protection X

*Indicates a chronic health hazard.

Prepared By
Product Stewardship
23 British American Blvd.

23 British Affician Bivo. Latham, NY 12110 1-800-572-6501 24-May-2015

Issuing Date24-May-2015Revision Date03-Feb-2017Revision NoteUpdate to Format.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The

information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet