Issuing Date 24-May-2015

Revision Date 28-Feb-2017

SAFETY DATA SHEET Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

| GHS product identifier | | |
|---|------------------------------|--|
| Product Name | UVR-110W | |
| Other means of identification | | |
| Product Code(s) | 400230 | |
| Synonyms | None | |
| Recommended use of the chemical | and restrictions on use | |
| Recommended Use | UV Cure Legend Ink | |
| Uses advised against | No information available | |
| Supplier's details | | |
| Initial Supplier Canadian address required | | Supplier Address Taiyo America, Inc. 2675 Antler Drive Carson City, NV 89701 TEL: 775-885-9959 |
| Emergency telephone number | | |
| Emergency Telephone Number | 775-885-9959 | |
| | 2. HAZARDS I | DENTIFICATION |
| Classification | | |
| This product is considered hazardous | according to the criteria se | et within the US OSHA Hazard Communi |

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

| Acute Oral Toxicity | Category 4 |
|-----------------------------------|------------|
| Skin Corrosion/Irritation | Category 2 |
| Serious Eye Damage/Eye Irritation | Category 2 |
| Skin Sensitization | Category 1 |

Label Elements

Warning



Hazard Statements Harmful if swallowed Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction

Physical and Health Hazards Not Otherwise Classified Not applicable.

Precautionary Statements

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- · Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

· Specific treatment (see supplemental first aid instructions on this label)

Eyes

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

• If eye irritation persists: Get medical advice/attention.

Skin

- IF ON SKIN: Wash with plenty of soap and water.
- Take off contaminated clothing and wash before reuse.
- If skin irritation or rash occurs: Get medical advice/attention.

Ingestion

- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- Rinse mouth.

Storage

None

Disposal

· Dispose of contents/container to an approved waste disposal plant.

Other information

55.63% of the mixture consists of ingredient(s) of unknown toxicity.

| Chemical Name | CAS-No | Weight % | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|--------------------------------|------------|----------|---|---|
| Talc | 14807-96-6 | 27.44 | - | - |
| Trimethylolpropane triacrylate | 15625-89-5 | 18.69 | - | - |
| Titanium dioxide | 13463-67-7 | 10.98 | - | - |

| Quartz | 14808-60-7 | 10.98 | - | - |
|-----------------------------|-------------|-------|---|---|
| 2-Hydroxyethyl methacrylate | 868-77-9 | 7.69 | - | - |
| Silicon dioxide | 7631-86-9 | 3.29 | - | - |
| Silica | 112945-52-5 | 3.29 | - | - |

4. FIRST AID MEASURES

Description of necessary first-aid measures

| General Advice | If symptoms persist, call a physician. |
|----------------------------|---|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician. |
| Skin Contact | Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. If skin irritation persists, call a physician. |
| Inhalation | Move to fresh air. If symptoms persist, call a physician. |
| Ingestion | Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. If symptoms persist, call a physician. |
| Protection of First-aiders | Use personal protective equipment. Avoid contact with skin, eyes and clothing. |

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Itching. Rashes. May cause allergic skin reaction. Skin irritation. Eye irritation/reactions.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically. May cause sensitization of susceptible persons.

5. FIRE-FIGHTING MEASURES

| Suitable Extinguishing Media | Water spray. Foam. Dry powder. |
|---|--|
| Unsuitable Extinguishing Media | No information available. |
| Specific Hazards Arising from the Chemical | Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by skin contact. |
| Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge | None. None. |
| Protective Equipment and | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH |

Precautions for Firefighters (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| Personal Precautions | Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak. |
|---------------------------|--|
| Environmental Precautions | |
| Environmental Precautions | Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information. |

Methods and materials for containment and cleaning up

Methods for Containment

Methods for Cleaning Up

Prevent further leakage or spillage if safe to do so.

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

| Precautions for safe handling | | | |
|--|--|--|--|
| Handling | Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Use only in area provided with appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. | | |
| Conditions for safe storage, including any incompatibilities | | | |
| Storage | Keep in properly labeled containers. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. | | |
| Incompatible Products | Oxidizing agents. Peroxides. Free radical initiators | | |

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------|---|---|---|
| Talc | TWA: 2 mg/m ³ | (vacated) TWA: 2 mg/m ³ | IDLH: 1000 mg/m ³ containg no |
| 14807-96-6 | | | asbestos and <1% quartz TWA: 2 mg/m ³ |
| Quartz | TWA: 0.025 mg/m ³ respirable | TWA: 50 µg/m³ | IDLH: 50 mg/m ³ respirable dust |
| 14808-60-7 | particulate matter | Action Level: 25 µg/m ³ | TWA: 0.05 mg/m ³ respirable |
| | | (vacated) TWA: 0.1 mg/m ³ | dust |
| | | respirable dust | |
| | | : (250)/(%SiO2 + 5) mppcf TWA | |
| | | respirable fraction | |
| | | : (10)/(%SiO2 + 2) mg/m ³ TWA | |
| | | respirable fraction | |
| Titanium dioxide | TWA: 10 mg/m ³ | TWA: 15 mg/m ³ total dust | IDLH: 5000 mg/m ³ |
| 13463-67-7 | | (vacated) TWA: 10 mg/m ³ total | |
| | | dust | |
| Silicon dioxide | 10 mg/m ³ | 20 mppcf TWA; ((80)/(% SiO2) | IDLH: 3000 mg/m ³ |
| 7631-86-9 | | mg/m³) | TWA: 6 mg/m ³ |
| Silica | - | (vacated) TWA: 6 mg/m ³ <1% | IDLH: 3000 mg/m ³ |
| 112945-52-5 | | Crystalline silica | TWA: 6 mg/m ³ |
| | | TWA: 20 mppcf | |
| | | : (80)/(% SiO2) mg/m ³ TWA | |

Immediately Dangerous to Life or Health. ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH:

 Other Exposure Guidelines
 Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

 Appropriate engineering controls
 Engineering Measures

 Showers
 Eyewash stations

 Ventilation systems
 Ventilation systems

 Individual protection measures, such as personal protective equipment
 Tightly fitting safety goggles.

| Eye/Face Protection | ngntiy litting salety goggles. |
|--------------------------|---|
| Skin and Body Protection | Protective gloves. Lightweight protective clothing. |
| Respiratory Protection | No protective equipment is needed under normal use conditions. If exposure limits are |

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Hygiene Measures

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical State Odor | Viscous liquid. Slight Solvent. | Appearance Odor Threshold | White. No information available. |
|---|--|---|-------------------------------------|
| <u>Property</u> pH Melting Point/Range Boiling Point/Boiling Range | <u>Values</u> No data available No data available No data available | <u>Remarks/ - N</u> None known None known None known | lethod_ |
| Flash Point Evaporation rate | >200 °C / >392 °F | None known None known | |
| Flammability (solid, gas) Flammability Limits in Air | No data available | None known | |
| upper flammability limit lower flammability limit | No data available No data available | | |
| Vapor Pressure Vapor Density | No data available No data available | None known None known | |
| Specific Gravity Water Solubility | No data available No data available | None known None known | |
| Solubility in other solvents Partition coefficient: n-octand Autoignition Temperature | No data available bl/waterNo data available No data available | None known None known None known | |
| Decomposition Temperature Viscosity | No data available No data available No data available | None known None known | |
| Flammable Properties | | may burn but does not ignite re | adily |
| Explosive Properties | No data available | | |
| Oxidizing Properties | No data available | | |
| Other information | | | |
| VOC Content (%) | 0 | | |

10. STABILITY AND REACTIVITY

| Reactivity | No data available. | |
|---|--|--|
| Chemical stability | Stable under recommended storage conditions. | |
| Possibility of hazardous reactions | None under normal processing. | |
| Hazardous Polymerization | Hazardous polymerization does not occur. | |
| Conditions to avoid | Incompatible products. | |
| Incompatible materials | Oxidizing agents. Peroxides. Free radical initiators | |
| Hazardous decomposition products Carbon oxides. Thermal decomposition can lead to release of irritating gases and vapors. | | |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | |
|---------------------|---|
| Inhalation | There is no data available for this product. |
| Eye Contact | Causes serious eye irritation. |
| Skin Contact | Causes skin irritation. May cause allergic skin reaction. |
| Ingestion | Harmful if swallowed. |

 Numerical measures of toxicity - Product

 Unknown acute toxicity
 55.63% of the mixture consists of ingredient(s) of unknown toxicity.

 The following values are calculated based on chapter 3.1 of the GHS document:

 LD50 Oral
 1570 mg/kg; Acute toxicity estimate

 LD50 Dermal
 11870 mg/kg; Acute toxicity estimate mg/L

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--------------------------------|---------------------|-----------------------|--------------------------|
| Trimethylolpropane triacrylate | > 5000 mg/kg (Rat) | = 5000 mg/kg (Rabbit) | - |
| Quartz | = 500 mg/kg (Rat) | - | - |
| Titanium dioxide | > 10000 mg/kg (Rat) | - | > 6820 mg/m ³ |
| 2-Hydroxyethyl methacrylate | = 5050 mg/kg (Rat) | >3000 mg/kg (Rabbit) | - |
| Silicon dioxide | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | >2.2 mg/L (Rat)4 h |
| Silica | = 3160 mg/kg (Rat) | - | - |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity May cause sensitization of susceptible persons. May cause sensitization by skin contact. No information available. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.

This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|------------------|-------|----------|-------|------|
| Talc | | Group 3 | | Х |
| Titanium dioxide | | Group 2B | | Х |
| Quartz | A2 | Group 1 | Known | Х |
| Silicon dioxide | | Group 3 | | |
| Silica | | Group 3 | | |

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to its Carcinogenicity to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration) X - Present

 Reproductive Toxicity
 No information available.

 STOT - single exposure
 No information available.

 STOT - repeated exposure
 No information available.

 Chronic Toxicity
 Avoid repeated exposure. Repeated contact may cause allergic reactions in very susceptible persons.

 Target Organ Effects
 Respiratory system. Eyes. Lungs.

Aspiration Hazard

No information available.

12. ECOLOGICAL INFORMATION

<u>Ecotoxicity</u> The environmental impact of this product has not been fully investigated.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|---|---|--|-------------------------------|--|
| Talc 14807-96-6 | | LC50 96 h: > 100 g/L semi-static (Brachydanio rerio) | | |
| 2-Hydroxyethyl methacrylate 868-77-9 | | LC50 96 h: 213 - 242 mg/L flow-through (Pimephales promelas) LC50 96 h: = 227 mg/L (Pimephales promelas) | | |
| Silicon dioxide 7631-86-9 | EC50 72 h: = 440 mg/L (Pseudokirchneriella subcapitata) | LC50 96 h: = 5000 mg/L static (Brachydanio rerio) | | EC50 48 h: = 7600 mg/L (Ceriodaphnia dubia) |
| Silica 112945-52-5 | EC50 72 h: = 440 mg/L (Pseudokirchneriella subcapitata) | LC50 96 h: = 5000 mg/L static (Brachydanio rerio) | | EC50 48 h: = 7600 mg/L (Ceriodaphnia dubia) |

Persistence and Degradability

The Rotterdam Convention (Prior

International Convention for the

Informed Consent)

No information available.

Bioaccumulation

| Chemical Name | | Log Pow | |
|--|--|-------------------------|--|
| 2-Hydroxyethyl methacrylate 0.47 | | 0.47 | |
| Mobility | No information available. | | |
| Other Adverse Effects | No information available. | | |
| | 13. DISPOSAL CO | ONSIDERATIONS | |
| Waste Disposal Methods | Dispose of in accordance | with local regulations. | |
| Contaminated Packaging | Do not re-use empty conta | iners. | |
| 14. TRANSPORT INFORMATION | | | |
| | | | |
| DOT | Not regulated | | |
| TDG | Not regulated | | |
| MEX | Not regulated | | |
| IATA_ | Not regulated | | |
| IMDG/IMO | Not regulated | | |
| | | | |
| International Regulations | 15. REGULATOR | Y INFORMATION | |
| Ozone depleting substances Persistent Organic Pollutants Hazardous Waste | Not applicable Not applicable Not applicable | | |

Not applicable

Not applicable

Prevention of Pollution from Ships (MARPOL)

| International Inventories | |
|---------------------------|----------|
| TSCA | Complies |
| DSL | Complies |
| EINECS | Complies |
| ELINCS | Complies |

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| Acute Health Hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

| Chemical Name | CAS-No | California Prop. 65 |
|------------------|------------|---------------------|
| Quartz | 14808-60-7 | Carcinogen |
| Titanium dioxide | 13463-67-7 | Carcinogen |

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Illinois | Rhode Island |
|------------------|------------|---------------|--------------|----------|--------------|
| Talc | Х | Х | Х | Х | Х |
| Quartz | Х | Х | Х | - | Х |
| Titanium dioxide | Х | Х | Х | - | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

| 16. OTHER INFORMATION | | | | |
|-----------------------|-----------------|----------------|-------------------|------------------------------------|
| <u>NFPA</u> | Health Hazard 2 | Flammability 1 | Instability 0 | Physical and Chemical Hazards - |
| <u>HMIS</u> | Health Hazard 2 | Flammability 1 | Physical Hazard 0 | Personal Protection X |

| Prepared By | Product Stewardship |
|---------------|---------------------------|
| | 23 British American Blvd. |
| | Latham, NY 12110 |
| | 1-800-572-6501 |
| Issuing Date | 24-May-2015 |
| Revision Date | 28-Feb-2017 |
| Revision Note | Update to Format. |

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet