SAFETY DATA SHEET

Issuing Date 24-May-2015 Revision Date 28-Feb-2017 Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name CA-40 AUS2, CA-40 HRS

Other means of identification

Product Code(s) 400424

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Solder mask part B

Uses advised against No information available

Supplier's details

Initial Supplier Supplier Address

Canadian address required Taiyo America, Inc. 2675 Antler Drive

Carson City, NV 89701 TEL: 775-885-9959

Emergency telephone number

Emergency Telephone

Number

775-885-9959

2. HAZARDS IDENTIFICATION

Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1
Carcinogenicity	Category 2
Flammable liquids	Category 4

Label Elements

Warning



Hazard Statements

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
Suspected of causing cancer.
Combustible liquid.

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements

Prevention

- · Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.
- Wash face, hands and any exposed skin thoroughly after handling.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

- If exposed or concerned: Get medical attention/advice
- Specific treatment (see supplemental first aid instructions on this label)

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

Skin

- IF ON SKIN: Wash with plenty of soap and water.
- · Take off contaminated clothing and wash before reuse.
- If skin irritation or rash occurs: Get medical advice/attention.

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

Storage

- Store locked up.
- Store in a well-ventilated place. Keep cool.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Other information

Harmful to aquatic life with long lasting effects.

27.1% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Barium sulfate	7727-43-7	38.2	-	-
Formaldehyde, polymer with (chloromethyl) oxirane and phenol	9003-36-5	20.86	-	-
4,4'-Bis(2,3-epoxypropoxy)-3,3',5,5'-tetramethyl (1,1'-biphenyl)	85954-11-6	8.66	-	-
Naphtha (petroleum), heavy aromatic	64742-94-5	1.7	-	-
Dipropylene glycol monomethyl ether	34590-94-8	1.7	-	-

4. FIRST AID MEASURES

Description of necessary first-aid measures

General Advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not get in eyes, on skin, or on clothing.

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

rinsing. If symptoms persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. If skin irritation persists, call a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician. If breathing is irregular or stopped,

administer artificial respiration.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink

plenty of water. If symptoms persist, call a physician.

Protection of First-aidersUse personal protective equipment.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Itching. Rashes. May cause allergic skin reaction. Skin irritation. Eye irritation/reactions.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to PhysicianTreat symptomatically. May cause sensitization of susceptible persons.

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> Water spray. Carbon dioxide (CO 2). Dry powder. Dry chemical.

<u>Unsuitable Extinguishing Media</u> No information available.

Specific Hazards Arising from the

Chemical

Combustible liquid. Vapors may travel to source of ignition and flash back. Risk of ignition.

In the event of fire and/or explosion do not breathe fumes. Keep product and empty

container away from heat and sources of ignition.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with

skin, eyes and clothing. Ensure adequate ventilation. Remove all sources of ignition. Keep

people away from and upwind of spill/leak. Take precautionary measures against static discharges. Pay attention to flashback. In case of insufficient ventilation wear suitable

respiratory equipment.

Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. Avoid release to the environment.

See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Dam up. Take up with sand, earth or other noncombustible absorbent material. Pick up and

transfer to properly labeled containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not

breathe vapors or spray mist. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). In case of insufficient ventilation, wear suitable respiratory equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Use only in area provided with appropriate exhaust ventilation. Keep away from heat, sparks and open flame. No smoking. Do not take

internally.

Conditions for safe storage, including any incompatibilities

Keep in properly labeled containers. Keep away from heat and sources of ignition. Keep out Storage

of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated

place.

Strong oxidizing agents. **Incompatible Products**

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Barium sulfate	TWA: 5 mg/m ³ inhalable	TWA: 15 mg/m³ total dust	TWA: 10 mg/m ³ total dust
7727-43-7	particulate matter, particulate	TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m³ respirable dust
	matter containing no asbestos	(vacated) TWA: 10 mg/m³ total	
	and <1% crystalline silica	dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Dipropylene glycol monomethyl ether	STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
34590-94-8	TWA: 100 ppm	TWA: 600 mg/m ³	TWA: 100 ppm
	S*	(vacated) TWA: 100 ppm	TWA: 600 mg/m ³
		(vacated) TWA: 600 mg/m ³	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 900 mg/m ³
		(vacated) STEL: 900 mg/m ³	
		(vacated) S*	
		S*	

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles.

Skin and Body Protection Impervious gloves. Impervious clothing.

Respiratory Protection In case of insufficient ventilation wear suitable respiratory equipment. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

be worn.

Hygiene Measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing. Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Viscous liquid. Appearance Off-white.

Odor Mild Solvent. Odor Threshold No information available.

Property Values Remarks/ - Method

No data available None known pН Melting Point/Range No data available None known Boiling Point/Boiling Range No data available None known Flash Point 78 °C None known No data available **Evaporation rate** None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data available

Vapor Pressure No data available None known **Vapor Density** No data available None known **Specific Gravity** No data available None known **Water Solubility** No data available None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known No data available **Autoignition Temperature** None known **Decomposition Temperature** No data available None known **Viscosity** No data available None known

Flammable Properties Combustible material: may burn but does not ignite readily

Explosive PropertiesNo data available **Oxidizing Properties**No data available

Other information

VOC Content (%) 9 **VOC (g/l)** 144

10. STABILITY AND REACTIVITY

Reactivity No data available.

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

<u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

<u>Conditions to avoid</u> Heat, flames and sparks. Incompatible products.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products Carbon oxides Nitrogen oxides (NOv)

Hazardous decomposition products Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation There is no data available for this product.

Eve Contact Causes serious eye irritation.

Skin Contact Causes skin irritation. May cause allergic skin reaction.

Ingestion There is no data available for this product.

Numerical measures of toxicity - Product

Unknown acute toxicity 27.1% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral86085 mg/kg; Acute toxicity estimate **LD50 Dermal**131216 mg/kg; Acute toxicity estimate

Inhalation

dust/mist13 mg/L; Acute toxicity estimateVapor52 mg/L; Acute toxicity estimate

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Formaldehyde, polymer with (chloromethyl) oxirane and phenol	> 2 g/kg (Rat)	> 400 mg/kg (Rat)	-
Dipropylene glycol monomethyl ether	= 5400 μL/kg (Rat)	= 9500 mg/kg (Rabbit)	-
Naphtha (petroleum), heavy aromatic	> 5000 mg/kg (Rat)	> 2 mL/kg(Rabbit)	> 590 mg/m³(Rat)4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization

Germ Cell Mutagenicity

May cause sensitization of susceptible persons. May cause sensitization by skin contact.

No information available.

Carcinogenicity

Contains a known or suspected carcinogen. Suspected of causing cancer.

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Target Organ Effects
Aspiration Hazard
No information available.
No information available.
Respiratory system. Eyes.
No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Dipropylene glycol		LC50 96 h: > 10000 mg/L		LC50 48 h: = 1919 mg/L
monomethyl ether		static (Pimephales		(Daphnia magna)
34590-94-8		promelas)		
Naphtha (petroleum), heavy	EC50 72 h: = 2.5 mg/L	LC50 96 h: = 1740 mg/L		EC50 48 h: = 0.95 mg/L
aromatic	(Skeletonema costatum)	static (Lepomis macrochirus)		(Daphnia magna)
64742-94-5		LC50 96 h: = 19 mg/L static		
		(Pimephales promelas)		
		LC50 96 h: = 2.34 mg/L		

(Oncorhynchus mykiss)	
LC50 96 h: = 41 mg/L	
(Pimephales promelas)	
LC50 96 h: = 45 mg/L	
flow-through (Pimephales	
promelas)	

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Naphtha (petroleum), heavy aromatic	6.1
Dipropylene glycol monomethyl ether	-0.064

Mobility No information available.

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Should not be released into the environment. Dispose of in accordance with local

regulations.

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

Note: According to 49 CRF §173.150(f)(1), this material should be reclassified as NA1993,

Combustible Liquid, NOS if it is shipped in bulk.

DOT Not regulated

TDG Not regulated

MEX Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances
Persistent Organic Pollutants
Hazardous Waste
The Rotterdam Convention (Prior

Not applicable
Not applicable
Not applicable

Informed Concent

Informed Consent)

International Convention for the

Not applicable

Prevention of Pollution from Ships

(MARPOL)

International Inventories

TSCA Complies
DSL Complies
EINECS Complies
ELINCS Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Diethylene glycol monoethyl ether acetate	112-15-2	5.67	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Barium sulfate	X	X	X		
Dipropylene glycol	X	Х	X	X	X
monomethyl ether					

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 2	Flammability 2	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard 2*	Flammability 2	Physical Hazard 0	Personal Protection X

*Indicates a chronic health hazard.

Prepared By
Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 24-May-2015
Revision Date 28-Feb-2017
Revision Note Update to Format.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not

to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet