SAFETY DATA SHEET



1. Identification

Product identifier IJR-4000 MW300

Other means of identification

SDS number 18MM0011 Recommended use **PCB**

Recommended restrictions Not available.

Manufacturer/Importer/Supplier/Distributor information

TAIYO INK MFG. CO., (KOREA) LTD. Manufacturer name

Post code 15407

166, Manhae-ro, Danwon-gu, Ansan-si, Gyeonggi-do, Korea Address

Tel: 82-31-491-9250(#306) **Contact information**

Fax: 82-31-491-7671

Supplier name Taiyo America, Inc.

2675 Antler Drive Carson City, NV 89701 **Address**

+775-885-9959(M-F, 8AM-4PM, Pacific Time Zone) **Telephone**

Website http://www.taiyo-america.com/ e-Mail SDSinfo@taiyo-america.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, dermal Category 3

> Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Sensitization, skin Category 1 Carcinogenicity Category 2 Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment,

Category 1

long-term hazard

OSHA defined hazards Not classified.

Label elements

Environmental hazards



Signal word Danger

Hazard statement Toxic in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes

serious eye irritation. Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic

life with long lasting effects.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands and eyes thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face

protection.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off immediately all contaminated clothing

and wash it before reuse. Collect spillage.

Store locked up. Storage

Material name: IJR-4000 MW300 SDS US **Disposal**

Dispose of contents/container according to the regulations.

Hazard(s) not otherwise classified (HNOC)

Supplemental information

28.6% of the mixture consists of component(s) of unknown acute dermal toxicity. 68.9% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 65% of

the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

None known.

Mixtures

Chemical name	Common name and synonyms	CAS number	%
2,2-dimethyl-1,3-propanediyl diacrylate		2223-82-7	30 - 40
2-Propenoic acid, 1,1'-[2-ethyl-2-[[(1-oxo-2-propen-1-y l)oxy]methyl]-1,3-propanediyl] ester		15625-89-5	20 - 30
Titanium dioxide (TiO2)		13463-67-7	5 - 10
phenylbis(2,4,6-trimethylbenzoyl)-p hosphineoxide		162881-26-7	3 - 5
2-Propenoic acid, 2,2-bis[[(1-oxo-2-propenyl)oxy]meth yl]-1,3-propanediyl ester		4986-89-4	1 - 3
Pentaerythritol triacrylate		3524-68-3	1 - 3
Aluminiumhydroxide		21645-51-2	0.1-1
Other components below reportable le	evels		10 - 20

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Get medical

advice/attention if you feel unwell. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Eye contact Immediately flush eves with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis.

Ingestion Rinse mouth. Get medical advice/attention if you feel unwell.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed General information Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Take off immediately all contaminated clothing. IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Move containers from fire area if you can do so without risk.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

Material name: IJR-4000 MW300

SDS US 14436 Version #: 01 Issue date: 10-23-2023

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS. The product is insoluble in water.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form		
Titanium dioxide (TiO2) (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.		
US. OSHA Table Z-3 Permissible Exposure Limits (PEL) for Mineral Dusts (29 CFR 1910.1000)					
Components	Туре	Value	Form		
Aluminiumhydroxide (CAS 21645-51-2)	TWA	5 mg/m3	Respirable fraction.		
		15 mg/m3	Total dust.		
		50 mppcf	Total dust.		
		15 mppcf	Respirable fraction.		
Titanium dioxide (TiO2) (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.		
		15 mg/m3	Total dust.		
		50 mppcf	Total dust.		
		15 mppcf	Respirable fraction.		
US. ACGIH Threshold Limit Values (*	TLV)				
Components	Туре	Value	Form		
Titanium dioxide (TiO2) (CAS 13463-67-7)	TWA	2.5 mg/m3	Respirable finescale particles		
		0.2 mg/m3	Respirable nanoscale particles		

Material name: IJR-4000 MW300 sps us

14436 Version #: 01 Issue date: 10-23-2023

NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended

Components Value Type **IDLH** 5000 mg/m3 Titanium dioxide (TiO2)

US. OARS. Workplace Environmental Exposure Level (WEEL) Guide

Components Type Value TWA 2-Propenoic acid, 1 mg/m3 1,1'-[2-ethyl-2-[[(1-oxo-2-pro pen-1-yl)oxy]methyl]-1,3-pro panediyl] ester (CAS 15625-89-5) Pentaerythritol triacrylate **TWA** 1 mg/m3 (CAS 3524-68-3) 0.082 ppm

Biological limit values

(CAS 13463-67-7)

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US WEEL Guides: Skin designation

2-Propenoic acid, Can be absorbed through the skin.

1,1'-[2-ethyl-2-[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-prop

anediyl] ester (CAS 15625-89-5)

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear eye/face protection. Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid. White Color Odor a weak odor **Odor threshold** Not available. Not available. pН Melting point/freezing point Not available. Initial boiling point and boiling Not available. range

Flash point 230.0 °F (110.0 °C) Setaflash

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Not available. Vapor pressure Not available. Vapor density

Material name: IJR-4000 MW300 SDS US 14436 Version #: 01 Issue date: 10-23-2023

Relative density Not available.

Solubility(ies)

Insoluble in water Solubility (water) Partition coefficient

(n-octanol/water)

Not available.

Not available. Auto-ignition temperature **Decomposition temperature** Not available. 40 cPs Viscosity

Other information

Not explosive. **Explosive properties** Oxidizing properties Not oxidizing.

Specific gravity 1.18

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials.

Strong oxidizing agents. Strong acids. Strong bases. Incompatible materials Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Toxic in contact with skin. Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis. Rash.

Information on toxicological effects

Toxic in contact with skin. Acute toxicity Causes skin irritation. Skin corrosion/irritation Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity

Suspected of causing cancer. IARC, ACGIH, OSHA are only used as the basis for judging section Carcinogenicity

11"Toxicological information" in this SDS.

IARC Monographs. Overall Evaluation of Carcinogenicity

2-Propenoic acid, 2B Possibly carcinogenic to humans.

1,1'-[2-ethyl-2-[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-prop

anediyl] ester (CAS 15625-89-5)

Titanium dioxide (TiO2) (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible. Specific target organ toxicity -Due to partial or complete lack of data the classification is not possible.

single exposure

Material name: IJR-4000 MW300 SDS US

14436 Version #: 01 Issue date: 10-23-2023

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. **Chronic effects**

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

No data is available on the degradability of any ingredients in the mixture. Persistence and degradability

Bioaccumulative potential No data available. No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

IATA

UN number UN2810

UN proper shipping name Transport hazard class(es) Toxic liquid, organic, n.o.s.

Class Not assigned.

Subsidiary risk Ш Packing group **Environmental hazards** No. 61 **ERG Code**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Allowed with restrictions.

Passenger and cargo aircraft

Cargo aircraft only

Allowed with restrictions.

IMDG

UN number UN2810

UN proper shipping name

Transport hazard class(es)

TOXIC LIQUID, ORGANIC, N.O.S.

Class Not assigned.

Subsidiary risk Ш Packing group **Environmental hazards**

Marine pollutant No.

EmS F-A, S-A

Transport in bulk according to

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Annex II of MARPOL 73/78 and

the IBC Code

Not applicable.

15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication US federal regulations

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

Material name: IJR-4000 MW300 SDS US 14436 Version #: 01 Issue date: 10-23-2023

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

categories

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Carcinogenicity

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

2-Propenoic acid, 1,1'-[2-ethyl-2-[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester (CAS 15625-89-5) Titanium dioxide (TiO2) (CAS 13463-67-7)

California Proposition 65



WARNING: This product can expose you to chemicals including 2-Propenoic acid,

1,1'-[2-ethyl-2-[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-propanediyl] ester, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

2-Propenoic acid, Listed: December 17, 2021

1,1'-[2-ethyl-2-[[(1-oxo-2-propen-1-yl)oxy]methyl]-1,3-

propanediyl] ester (CAS 15625-89-5)

Titanium dioxide (TiO2) (CAS 13463-67-7) Listed: September 2, 2011

16. Other information, including date of preparation or last revision

Issue date 10-23-2023

Version # 01

Disclaimer The contents listed in this data sheet were prepared based on currently available documents,

information, and data, but may be revised due to amendments to laws and regulations or new findings. In addition, generic or general names are used for the ingredients of mixtures, except for those listed under chemical names, for the sake of confidentiality. Please refer to this data sheet and technical documentations for the usage of this product, and take safety measures appropriate for the actual situation at the responsibility of the user. This data sheet is not a guarantee of safety or quality. When taking this product overseas, please contact our sales representative in advance.

Export procedures may be required.

Material name: IJR-4000 MW300 sps us

14436 Version #: 01 Issue date: 10-23-2023