SAFETY DATA SHEET

Issuing Date 31-Aug-2015 Revision Date 03-Feb-2017 Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name PSR-4000 BN, PSR-4000 BN (DG), PSR-4000 BN (HV), PSR-4000 BN Black, PSR-4000

BN Blue, PSR-4000 BN Clear, PSR-4000 BN Red, PSR-4000 BN White, PSR-4000 BN

Yellow, PSR-4000 HG (DG)

Other means of identification

Product Code(s) 400060, 400061, 400062, 400088, 400064, 400205, 400063, 400091, 400409, 400562,

800104, 800105

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Solder mask part A

Uses advised against No information available

Supplier's details

Initial Supplier Supplier Address

Canadian address required

Taiyo America, Inc.
2675 Antler Drive

Carson City, NV 89701 TEL: 775-885-9959

Emergency telephone number

Emergency Telephone 775-885-9959

Number

2. HAZARDS IDENTIFICATION

Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Acute Oral Toxicity	Category 4
Reproductive Toxicity	Category 1B
Flammable liquids	Category 4

Label Elements

Danger



Hazard Statements

Harmful if swallowed May damage fertility or the unborn child Combustible liquid.

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.

General Advice

• If exposed or concerned: Get medical attention/advice

Ingestion

- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- · Rinse mouth.

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

Storage

- · Store locked up.
- Store in a well-ventilated place. Keep cool.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Other information

Harmful to aquatic life with long lasting effects.

59.5% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Quartz	14808-60-7	23.47	-	-
Titanium dioxide	13463-67-7	14.53	-	-
Iron manganese oxide ((Fe,Mn)2O3)	75864-23-2	9.9	-	-
1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	5.81	-	-
Barium sulfate	7727-43-7	4.27	-	-

Dipropylene glycol monomethyl ether	34590-94-8	4.17	-	-
Silicon dioxide	7631-86-9	2.08	-	-
Silica, amorphous, fumed, crystal-free	112945-52-5	2.08	-	-
Copper phthalocyanine monochloride	12239-87-1	1	-	-

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

rinsing. If symptoms persist, call a physician.

Skin ContactWash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. Consult a physician if necessary.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Rinse mouth. Drink plenty of water. If symptoms persist, call a

physician.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Water spray. Carbon dioxide (CO 2). Dry chemical. Dry powder.

<u>Unsuitable Extinguishing Media</u> No information available.

Specific Hazards Arising from the

Chemical

Combustible liquid. Vapors may travel to source of ignition and flash back. Risk of ignition. In the event of fire and/or explosion do not breathe fumes. Keep product and empty

container away from heat and sources of ignition.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None. Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Remove all sources of ignition. Ensure adequate ventilation. Avoid contact with skin, eyes

and clothing. Use personal protective equipment. Take precautionary measures against

static discharges. Pay attention to flashback.

Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Avoid release to the environment. See Section 12

for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Take up with sand or other noncombustible absorbent material and place into containers for

later disposal. Pick up and transfer to properly labeled containers. Use clean non-sparking

tools to collect absorbed material. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Do not take internally. Wash thoroughly after handling. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). In case of insufficient ventilation, wear suitable respiratory equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. No smoking.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep away from heat and sources of ignition.

Incompatible Products Strong oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Quartz	TWA: 0.025 mg/m³ respirable	TWA: 50 μg/m ³	IDLH: 50 mg/m³ respirable dust
14808-60-7	particulate matter	Action Level: 25 µg/m ³	TWA: 0.05 mg/m ³ respirable
	·	(vacated) TWA: 0.1 mg/m ³	dust
		respirable dust	
		: (250)/(%SiO2 + 5) mppcf TWA	
		respirable fraction	
		: (10)/(%SiO2 + 2) mg/m ³ TWA	
		respirable fraction	
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m ³
13463-67-7		(vacated) TWA: 10 mg/m³ total	
		dust	
Iron manganese oxide ((Fe,Mn)2O3)	TWA: 1 mg/m ³ Fe TWA: 0.02	(vacated) TWA: 1 mg/m ³ Fe	IDLH: 500 mg/m ³ Mn
75864-23-2	mg/m³ Mn respirable particulate	(vacated) Ceiling: 5 mg/m ³	TWA: 1 mg/m³ Fe TWA: 1 mg/m³
	matter	Ceiling: 5 mg/m³ Mn	Mn
	TWA: 0.1 mg/m³ Mn inhalable		STEL: 3 mg/m³ Mn
	particulate matter		
Barium sulfate	TWA: 5 mg/m³ inhalable	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
7727-43-7	particulate matter, particulate	TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m³ respirable dust
	matter containing no asbestos	(vacated) TWA: 10 mg/m³ total	
	and <1% crystalline silica	dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Dipropylene glycol monomethyl ether	STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
34590-94-8	TWA: 100 ppm	TWA: 600 mg/m ³	TWA: 100 ppm
	S*	(vacated) TWA: 100 ppm	TWA: 600 mg/m ³
		(vacated) TWA: 600 mg/m ³	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 900 mg/m ³
		(vacated) STEL: 900 mg/m ³	
		(vacated) S*	
		S*	
Silica, amorphous, fumed, crystal-free	10 mg/m ³	TWA: 20 mppcf; ((80)/(% SiO2)	IDLH: 3000 mg/m ³
112945-52-5		mg/m³)	TWA: 6 mg/m ³

	Silicon dioxide	10 mg/m ³	20 mppcf TWA; ((80)/(% SiO2)	IDLH: 3000 mg/m ³
	7631-86-9	_	mg/m³)	TWA: 6 mg/m ³
Ī	Copper phthalocyanine monochloride	TWA: 1 mg/m ³ Cu dust and mist	-	IDLH: 100 mg/m ³ Cu dust and
-	12239-87-1	-		mist
-				TWA: 1 mg/m ³ Cu dust and mist

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Goggles.

Skin and Body Protection Lightweight protective clothing. Impervious gloves.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid. Appearance Various.

Odor Mild Solvent. Odor Threshold No information available.

<u>Property</u> <u>Values</u> <u>Remarks/ - Method</u>

None known No data available pН **Melting Point/Range** No data available None known **Boiling Point/Boiling Range** No data available None known Flash Point 74 °C None known No data available **Evaporation rate** None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data available

Vapor PressureNo data availableNone knownVapor DensityNo data availableNone knownSpecific Gravity1.35None knownWater SolubilityNo data availableNone knownSolubility in other solventsNo data availableNone known

Solubility in other solventsNo data availableNone knownPartition coefficient: n-octanol/waterNo data availableNone knownAutoignition TemperatureNo data availableNone knownDecomposition TemperatureNo data availableNone knownViscosityNo data availableNone known

Flammable Properties Combustible material: may burn but does not ignite readily

Explosive PropertiesNo data available **Oxidizing Properties**No data available

Other information

VOC Content (%) 26 **VOC (g/I)** 340

10. STABILITY AND REACTIVITY

Reactivity No data available.

Chemical stability Stable under recommended storage conditions.

<u>Possibility of hazardous reactions</u> None under normal processing.

<u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks. Incompatible products.

Incompatible materials Strong oxidizing agents. Strong acids. Strong bases.

Hazardous decomposition products Carbon dioxide (CO2). Carbon monoxide (CO). Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

InhalationThere is no data available for this product.Eye ContactContact with eyes may cause irritation.Skin ContactThere is no data available for this product.

Ingestion Harmful if swallowed.

Numerical measures of toxicity - Product

Unknown acute toxicity 59.5% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 1871 mg/kg; Acute toxicity estimate **LD50 Dermal** 53106 mg/kg; Acute toxicity estimate

Inhalation

dust/mist117 mg/L; Acute toxicity estimateVapor468 mg/L; Acute toxicity estimate

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Quartz	= 500 mg/kg (Rat)	-	-
Diethylene glycol monoethyl ether acetate	= 11 g/kg (Rat)	= 15100 μL/kg(Rabbit)	-
Titanium dioxide	> 10000 mg/kg (Rat)	-	-
Dipropylene glycol monomethyl ether	= 5400 μL/kg(Rat)	= 9500 mg/kg (Rabbit)	-
Silica, amorphous, fumed, crystal-free	= 3160 mg/kg (Rat)	-	-
Silicon dioxide	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	>2.2 mg/L (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization Germ Cell Mutagenicity

No information available. No information available.

Carcinogenicity

This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product. This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur

from exposure to this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X
Titanium dioxide		Group 2B	-	-
Silicon dioxide		Group 3		
Silica, amorphous, fumed,		Group 3		

crystal-free crystal-free

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to its Carcinogenicity to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity Contains a known or suspected reproductive toxin. Suspected of damaging fertility or the

unborn child.

STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Dipropylene glycol monomethyl ether 34590-94-8		LC50 96 h: > 10000 mg/L static (Pimephales promelas)		LC50 48 h: = 1919 mg/L (Daphnia magna)
Silica, amorphous, fumed, crystal-free 112945-52-5	EC50 72 h: = 440 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: = 5000 mg/L static (Brachydanio rerio)		EC50 48 h: = 7600 mg/L (Ceriodaphnia dubia)
Silicon dioxide 7631-86-9	EC50 72 h: = 440 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: = 5000 mg/L static (Brachydanio rerio)		EC50 48 h: = 7600 mg/L (Ceriodaphnia dubia)

Persistence and Degradability

No information available.

Bioaccumulation

	Chemical Name	Log Pow
1	Dipropylene glycol monomethyl ether	-0.064

Mobility No information available.

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Should not be released into the environment. Dispose of in accordance with local

regulations.

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

Note: According to 49 CRF §173.150(f)(1), this material should be reclassified as NA1993,

Combustible Liquid, NOS if it is shipped in bulk.

DOT Not regulated

TDG Not regulated

MEX Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances Not applicable Persistent Organic Pollutants Not applicable

Hazardous Waste

 Chemical Name
 Basel Convention (Hazardous Wastes)

 Copper phthalocyanine monochloride
 Y22

The Rotterdam Convention (Prior Not applicable

Informed Consent)

International Convention for the Not applicable

Prevention of Pollution from Ships

(MARPOL)

International Inventories

TSCA Complies
DSL Not determined
EINECS Complies
ELINCS Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Diethylene glycol monoethyl ether acetate	112-15-2	21.74	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper phthalocyanine monochloride		X		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and

Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

	Chemical Name	CAS-No	California Prop. 65
ı	Quartz	14808-60-7	Carcinogen
ı	Titanium dioxide	13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Quartz	Х	Х	X	-	X
Titanium dioxide	Х	X	X		Х
Barium sulfate	X	X	X		
Dipropylene glycol monomethyl ether	Х	Х	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION							
NFPA	Health Hazard 1	Flammability 2	Instability 0	Physical and Chemical Hazards -			
<u>HMIS</u>	Health Hazard 1*	Flammability 2	Physical Hazard 0	Personal Protection X			

^{*}Indicates a chronic health hazard.

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110

1-800-572-6501 31-Aug-2015

Issuing Date31-Aug-2015Revision Date03-Feb-2017Revision NoteUpdate to Format.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet