# **SAFETY DATA SHEET**

**Revision Number** 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING		
GHS product identifier		
Product Name	SCHP-7901	
Other means of identification		
Product Code(s)	400347	
Synonyms	None	
Recommended use of the chemical	and restrictions on use	
Recommended Use	Silver hole fill paste	
Uses advised against	No information available	
Supplier's details		
<b>Supplier Address</b> Taiyo America, Inc. 2675 Antler Drive Carson City, NV 89701 TEL: 775-885-9959 (M-F 8-4 PDT	)	
Email SDSinfo@taiyo-america.com		
Emergency telephone number		
Emergency Telephone Number	1-800-255-3924 (USA)	1-813-248-0585 (International)
	2. HAZARDS II	DENTIFICATION
Classification		

Revision Date 10-Jan-2023

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1

# GHS Label elements, including precautionary statements

**Emergency Overview** 

Signal Word Warning Hazard Statements

Causes skin irritation

Causes serious eye irritation

**Issuing Date** 13-May-2015

May cause an allergic skin reaction



#### **Precautionary Statements**

## Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection.

#### **General Advice**

· Specific treatment (see supplemental first aid instructions on this label)

#### Eyes

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

• If eye irritation persists: Get medical advice/attention.

#### Skin

- IF ON SKIN: Wash with plenty of soap and water.
- Take off contaminated clothing and wash before reuse.
- If skin irritation or rash occurs: Get medical advice/attention.

# Storage

None

#### Disposal

• Dispose of contents/container to an approved waste disposal plant.

## Hazard Not Otherwise Classified (HNOC)

Not applicable

### Other information

Very toxic to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Silver	7440-22-4	60-100	*
Formaldehyde, polymer with (chloromethyl) oxirane and phenol	9003-36-5	5-10	*
Bisphenol A - Epichlorohydrin polymer	25068-38-6	5-10	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### Description of necessary first-aid measures

Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If symptoms persist, call a physician.
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
·····	

SCHP-7901	Revision Date 10-Jan-2023
Ingestion	Rinse mouth. Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.
Most important symptoms/effects.	acute and delayed
Most Important Symptoms/Effects	No information available.
Indication of immediate medical at	ttention and special treatment needed, if necessary
Notes to Physician	Treat symptomatically.
	5. FIRE-FIGHTING MEASURES
Suitable Extinguishing Media Carbon dioxide (CO 2 ). Foam. Dry cl	hemical.
Unsuitable Extinguishing Medi	ia Water.
Specific Hazards Arising from the Thermal decomposition can lead to r	<b>Chemical</b> elease of irritating and toxic gases and vapors.
Explosion Data Sensitivity to Mechanical Impa Sensitivity to Static Discharge	ct None. None.
<b>Protective Equipment and Precaut</b> As in any fire, wear self-contained br protective gear.	tions for Firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions, protective e	equipment and emergency procedures
Personal Precautions	Avoid contact with the skin and the eyes. Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.
Environmental Precautions	
Environmental Precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Avoid release to the environment. Do not flush with water.
Methods and materials for contain	ment and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Use only in area provided

with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Do not take internally. Wash thoroughly after handling.

## Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep in properly labeled containers.
Incompatible Products	Strong oxidizing agents. Silver: Acetylene, nitric acid, ethylenimine, oxalic acid, tararic acid, ammonia, bromoazide. If silver is treated with nitric acid in the presence of ethyl alcohol, silver fulminate can be formed which can be detonated. Peroxides. Halogenated compounds. Water.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

## **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silver	TWA: 0.1 mg/m <sup>3</sup> dust and fume	TWA: 0.01 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> dust
7440-22-4		(vacated) TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> dust
Appropriate engineering controls			

#### Appropriate engineering controls

Engineering Measures	Showers	
	Eyewash stations	
	Ventilation systems	

## Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection	Tightly fitting safety goggles. Lightweight protective clothing. Impervious gloves. In case of inadequate ventilation wear respiratory protection. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical State Odor	Viscous liquid Mild Solvent	Appearance Odor Threshold	Silver, Gray No information available
<u>Property</u> pH	<u>Values</u> No data available	<u>Remarks/</u> None knowr	
Melting Point/Range	No data available	None knowr	-
Boiling Point/Boiling Range	No data available	None knowr	1
Flash Point	> 200 °C	None knowr	1
Evaporation rate	No data available	None knowr	1
Flammability (solid, gas)	No data available	None knowr	1
Flammability Limits in Air			
upper flammability limit	No data available		
lower flammability limit	No data available		
Vapor Pressure	No data available	None knowr	1
Vapor Density	No data available	None knowr	1
Specific Gravity	5.08	None knowr	1
Water Solubility	No data available	None knowr	1
Solubility in other solvents	No data available	None knowr	-
Partition coefficient: n-octanc	ol/waterNo data available	None knowr	•
Autoignition Temperature	No data available	None knowr	1
Decomposition Temperature	No data available	None knowr	1
Viscosity	No data available	None knowr	-
Flammable Properties		may burn but does not ignite	readily.
Explosive Properties	No data available		
Oxidizing Properties	No data available		

# Other information

VOC	Content (%)
voc	(g/l)

0 18

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available.

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Hazardous Polymerization

Hazardous polymerization does not occur.

#### Conditions to avoid

Incompatible products.

#### Incompatible materials

Strong oxidizing agents. Silver: Acetylene, nitric acid, ethylenimine, oxalic acid, tararic acid, ammonia, bromoazide. If silver is treated with nitric acid in the presence of ethyl alcohol, silver fulminate can be formed which can be detonated. Peroxides. Halogenated compounds. Water.

#### Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	
Inhalation	There is no data available for this product.
Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	There is no data available for this product.

mg	esi	101	

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Silver	> 2000 mg/kg (Rat)	-	-
Formaldehyde, polymer with (chloromethyl) oxirane and phenol	> 2 g/kg (Rat)	> 400 mg/kg (Rat)	-
Bisphenol A - Epichlorohydrin polymer	11400 mg/kg (Rat)	-	-

## Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization

No information available.

Mutagenic Effects	No information available.
Carcinogenicity	Contains no ingredients above reportable quantities listed as a carcinogen.
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	No information available.

## Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:LD50 Oral2282mg/kg; Acute toxicity estimate

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Silver		LC50 96 h:		EC50 48 h: = 0.00024 mg/L
7440-22-4		0.00155-0.00293 mg/L static		Static (Daphnia magna)
		(Pimephales promelas)		
		LC50 96 h: = 0.0062 mg/L		
		flow-through (Oncorhynchus		
		mykiss)		
		LC50 96 h: = 0.064 mg/L		
		static (Lepomis macrochirus)		

## Persistence and Degradability No information available.

Bioaccumulation

No information available.

## Other Adverse Effects

No information available.

# **13. DISPOSAL CONSIDERATIONS**

Waste Disposal Methods

Dispose of in accordance with federal, state, and local regulations

**Contaminated Packaging** 

Do not re-use empty containers.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Silver - 7440-22-4		Included in waste stream:	5.0 mg/L regulatory level	
		F039		

# 14. TRANSPORT INFORMATION

DOT

Not regulated

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
EINECS	Complies
ELINCS	Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

# U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Silver	7440-22-4	60-100	1.0

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

### Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Silver		Х	Х	

#### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Silver	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

## U.S. State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Silver	Х	Х	Х		Х

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
<u>NFPA</u>	Health Hazard 2	Flammability 1	Instability 0	Physical and Chemical Hazards -	
<u>HMIS</u>	Health Hazard 2	Flammability 1	Physical Hazard 0	Personal Protection X	
Prepared By Issuing Date Revision Date Revision Note	Product 23 Britis Latham, 1-800-5 13-May- 10-Jan-2 Updated				

# General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. End of Safety Data Sheet