SAFETY DATA SHEET

Issuing Date 13-May-2015 **Revision Date** 11-Jan-2023 **Revision Number** 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name UVR-150G Reducer

Other means of identification

Product Code(s) 400257

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended UseThinner for UV Cure inks

Uses advised against No information available

Supplier's details

Supplier Address
Taiyo America, Inc.
2675 Antler Drive

Carson City, NV 89701

TEL: 775-885-9959 (M-F 8-4 PDT)

Email SDSinfo@taiyo-america.com

Emergency telephone number

Emergency Telephone 1-800-255-3924 (USA) 1-813-248-0585 (International)

Number

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Warning

Hazard Statements

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

SDS Number: UVR-150G Reducer Page 1 / 7



Appearance Clear Physical State Viscous liquid. Odor Mild Solvent

Precautionary Statements

Prevention

- Wash face, hands and any exposed skin thoroughly after handling.
- · Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

• Specific treatment (see supplemental first aid instructions on this label)

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

Skin

- IF ON SKIN: Wash with plenty of soap and water.
- Take off contaminated clothing and wash before reuse.
- If skin irritation or rash occurs: Get medical advice/attention.

Storage

• None

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

3. COMPOSITION/INFORMATION ON INGREDIEN	ITS
---	-----

Chemical Name	CAS-No	Weight %	Trade secret
2-Hydroxyethyl methacrylate	868-77-9	30-60	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

General Advice Immediate medical attention is required. If symptoms persist, call a physician.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin ContactWash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. If skin irritation persists, call a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician. If breathing is irregular or stopped,

administer artificial respiration.

SDS Number: UVR-150G Reducer Page 2 / 7

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink

plenty of water. If symptoms persist, call a physician.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically. May cause sensitization of susceptible persons.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray. Foam. Dry powder.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by skin contact.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with

skin, eyes and clothing. Keep people away from and upwind of spill/leak.

Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system. Prevent entry into waterways,

sewers, basements or confined areas.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove

and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Use only in area provided with appropriate exhaust ventilation. Do not eat, drink or smoke when

using this product.

SDS Number: UVR-150G Reducer Page 3 / 7

Conditions for safe storage, including any incompatibilities

Storage Keep in properly labeled containers. Keep out of the reach of children. Keep containers

tightly closed in a dry, cool and well-ventilated place.

Incompatible Products Oxidizing agents. Peroxides. Free radical initiators

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Immediately Dangerous to Life or Health. ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH:

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and Body Protection Protective gloves. Lightweight protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, approved respiratory protection

should be worn.

Hygiene Measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Viscous liquid Appearance Clear

Odor Mild Solvent Odor Threshold No information available

 Property
 Values
 Remarks/
 - Method

 pH
 No data available
 None known

 Melting Point/Range
 No data available
 None known

 Roiling Point/Roiling Range
 No data available
 None known

Boiling Point/Boiling RangeNo data availableNone knownFlash Point> 200 °CNone knownEvaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone known

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data availableVapor PressureNo data available

None known **Vapor Density** No data available None known **Specific Gravity** 1.15 None known **Water Solubility** No data available None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known No data available None known

Autoignition Temperature No data available None known Decomposition Temperature No data available None known Viscosity No data available None known

SDS Number: UVR-150G Reducer Page 4 / 7

Flammable Properties Combustible material: may burn but does not ignite readily.

Explosive Properties No data available Oxidizing Properties No data available

Other information

VOC Content (%) 0 **VOC (g/I)** 0

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Incompatible products.

Incompatible materials

Oxidizing agents. Peroxides. Free radical initiators

Hazardous decomposition products

Carbon oxides. Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation There is no data available for this product.

Eye Contact Causes serious eye irritation.

Skin Contact Causes skin irritation. May cause allergic skin reaction

Ingestion There is no data available for this product.

Chemical Name	cal Name LD50 Oral LD50 Dermal		LC50 Inhalation
2-Hydroxyethyl methacrylate	= 5050 mg/kg (Rat)	>3000 mg/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.

SDS Number: UVR-150G Reducer Page 5 / 7

Carcinogenicity Contains no ingredients above reportable quantities listed as a carcinogen.

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 10100 mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
2-Hydroxyethyl methacrylate		LC50 96 h: 213-242 mg/L		
868-77-9		flow-through (Pimephales		
		promelas)		
		LC50 96 h: = 227 mg/L		
		(Pimephales promelas)		

Persistence and Degradability No information available.

Bioaccumulation No information available.

Chemical Name	Log Pow
2-Hvdroxvethvl methacrylate	0.47

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
EINECS Complies
ELINCS Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes

SDS Number: UVR-150G Reducer Page 6 / 7

Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 2	Flammability 1	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 2	Flammability 1	Physical Hazard 0	Personal Protection X
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501			
Issuing Date Revision Date Revision Note	13-May-: 11-Jan-2 Updated			

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

SDS Number: UVR-150G Reducer Page 7 / 7