# **SAFETY DATA SHEET**

Issuing Date 24-May-2015 Revision Date 10-Jan-2023 Revision Number 2

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**GHS** product identifier

Product Name CA-90 FXT

Other means of identification

Product Code(s) 400432

UN-Number UN3082

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Solder mask part B

Uses advised against No information available

Supplier's details

**Supplier Address** 

Taiyo America, Inc. 2675 Antler Drive Carson City, NV 89701

TEL: 775-885-9959 (M-F 8-4 PDT)

Email SDSinfo@taiyo-america.com

**Emergency telephone number** 

**Emergency Telephone** 

Number

1-800-255-3924 (USA)

1-813-248-0585 (International)

# 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Acute Oral Toxicity	Category 4
Acute Inhalation Toxicity - Dusts and Mists	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1
Carcinogenicity	Category 2

### GHS Label elements, including precautionary statements

### **Emergency Overview**

Signal Word	Warning

SDS Number: CA-90 FXT Page 1 / 9

#### **Hazard Statements**

- Harmful if swallowed
- Harmful if inhaled
- Causes skin irritation
- · Causes serious eye irritation
- May cause an allergic skin reaction
- Suspected of causing cancer



Appearance Cream Physical State Liquid. Odor Mild Solvent

### **Precautionary Statements**

#### Prevention

- · Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- · Wash face, hands and any exposed skin thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- · Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.
- Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection.

#### **General Advice**

- If exposed or concerned: Get medical attention/advice
- · Specific treatment (see supplemental instructions on the administration of antidotes on this label)

#### Eves

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

#### Skin

- IF ON SKIN: Wash with plenty of soap and water.
- Take off contaminated clothing and wash before reuse.
- If skin irritation or rash occurs: Get medical advice/attention.

#### Inhalation

• IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

#### Ingestion

- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- Rinse mouth.

### Storage

· Store locked up.

#### **Disposal**

• Dispose of contents/container to an approved waste disposal plant.

### **Hazard Not Otherwise Classified (HNOC)**

Not applicable

### Other information

Toxic to aquatic life with long lasting effects

SDS Number: CA-90 FXT Page 2 / 9

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Formaldehyde, polymer with (chloromethyl) oxirane and phenol	9003-36-5	20-30	*
Barium sulfate	7727-43-7	20-30	*
4,4'-Bis(2,3-epoxypropoxy)-3,3',5,5'-tetramethyl (1,1'-biphenyl)	85954-11-6	10-20	*
Dipentaerythritol Pentaacrylate	60506-81-2	10-20	*
Acrylic acid, hexa ester with dipentaerythritol	29570-58-9	10-20	*
Bisphenol A - Epichlorohydrin polymer	25068-38-6	7-13	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

### **Description of necessary first-aid measures**

General Advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not get in eyes, on skin, or on clothing.

**Eye Contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. If skin irritation persists, call a physician.

**Inhalation** Move to fresh air. If breathing is irregular or stopped, administer artificial respiration. If

symptoms persist, call a physician.

**Ingestion** Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. If symptoms persist, call a physician.

**Protection of First-aiders**Use personal protective equipment.

#### Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to Physician** May cause sensitization of susceptible persons. Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

### **Specific Hazards Arising from the Chemical**

May cause sensitization by inhalation and skin contact. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

### **Explosion Data**

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SDS Number: CA-90 FXT Page 3 / 9

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with

skin, eyes and clothing. Keep people away from and upwind of spill/leak.

### **Environmental Precautions**

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas. Avoid release to the environment. Collect spillage. Dispose of contents/container to an approved waste disposal plant. See Section 12 for

additional Ecological Information.

### Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

**Handling** Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove

and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Use only in area provided with appropriate exhaust ventilation. Do not eat, drink or smoke when

using this product.

# Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly

labeled containers. Keep out of the reach of children.

**Incompatible Products** Strong oxidizing agents.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Barium sulfate	TWA: 5 mg/m <sup>3</sup> inhalable	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
7727-43-7	fraction, particulate matter	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable dust
	containing no asbestos and <1%	fraction	
	crystalline silica	(vacated) TWA: 10 mg/m <sup>3</sup> total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	

Immediately Dangerous to Life or Health. ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH:

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

### Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

SDS Number: CA-90 FXT Page 4 / 9

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and Body Protection** Protective gloves. Lightweight protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical StateLiquid.AppearanceCream.

Odor Mild Solvent. Odor Threshold No information available.

Property Values Remarks/ - Method

No data available Hq None known Melting Point/Range No data available None known **Boiling Point/Boiling Range** No data available None known Flash Point 100 °C None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data available

Vapor Pressure No data available None known **Vapor Density** No data available None known **Specific Gravity** No data available None known **Water Solubility** No data available None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known **Viscosity** No data available None known Flammable Properties Combustible material: may burn but does not ignite readily.

Explosive Properties Combustible material: may burn but No data available

Oxidizing Properties No data available

### Other information

**VOC Content (%)** 2 **VOC (g/l)** 28

### **10. STABILITY AND REACTIVITY**

### Reactivity

No data available.

### **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

SDS Number: CA-90 FXT Page 5 / 9

### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

Incompatible products.

### **Incompatible materials**

Strong oxidizing agents.

### **Hazardous decomposition products**

Carbon oxides. Nitrogen oxides (NOx).

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

Inhalation Harmful if inhaled.

**Eve Contact** Causes serious eye irritation.

**Skin Contact** Causes skin irritation. May cause allergic skin reaction

Ingestion Harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Formaldehyde, polymer with (chloromethyl) oxirane and phenol	> 2 g/kg (Rat)	> 400 mg/kg (Rat)	-
Bisphenol A - Epichlorohydrin polymer	11400 mg/kg (Rat)	-	-

### Symptoms related to the physical, chemical and toxicological characteristics

No information available. **Symptoms** 

### Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization May cause an allergic skin reaction.

**Mutagenic Effects** No information available.

May cause cancer. Contains a known or suspected carcinogen. Carcinogenicity

**Reproductive Toxicity** No information available. STOT - single exposure No information available. STOT - repeated exposure No information available.

**Chronic Toxicity** Avoid repeated exposure. Repeated contact may cause allergic reactions in very

susceptible persons.

**Target Organ Effects** Respiratory system. Eyes. No information available. **Aspiration Hazard** 

#### Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 765 mg/kg; Acute toxicity estimate

Inhalation dust/mist 1.53 mg/L; Acute toxicity estimate

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

**Persistence and Degradability** No information available.

SDS Number: CA-90 FXT Page 6 / 9

Bioaccumulation No information available.

**Other Adverse Effects** 

No information available.

### 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

**Contaminated Packaging** Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

Note: Not regulated in quantities less than 5 liter per individual container. See IATA SP A197,

IMDG 2.10.2.7 and ADR SP 375.

**DOT** 

UN-Number UN3082

**Proper shipping name** Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A -

Epichlorohydrin polymer; Formaldehyde, polymer with (chloromethyl) oxirane and phenol),

9, III 171

**Emergency Response Guide** 

Number

**TDG** 

UN-Number UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A -

Epichlorohydrin polymer; Formaldehyde, polymer with (chloromethyl) oxirane and phenol),

9, III

<u>MEX</u>

UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A -

Epichlorohydrin polymer; Formaldehyde, polymer with (chloromethyl) oxirane and phenol),

9, III

**ICAO** 

UN-Number UN3082

**Proper shipping name** Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III

**IATA** 

UN-Number UN3082

**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.

Hazard Class9Packing GroupIIIERG Code9L

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A -

Epichlorohydrin polymer; Formaldehyde, polymer with (chloromethyl) oxirane and phenol),

9, III

SDS Number: CA-90 FXT Page 7 / 9

IMDG/IMO

UN-Number UN3082

**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III
EmS No. F-A, S-F

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A -

Epichlorohydrin polymer; Formaldehyde, polymer with (chloromethyl) oxirane and phenol),

9, III

<u>RID</u>

UN-Number UN3082

**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.

Hazard Class9Packing GroupIIIClassification CodeM6

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A -

Epichlorohydrin polymer; Formaldehyde, polymer with (chloromethyl) oxirane and phenol),

9, III

<u>ADR</u>

UN-Number UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III
Classification Code M6
Tunnel Restriction Code (E)

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A -

Epichlorohydrin polymer; Formaldehyde, polymer with (chloromethyl) oxirane and phenol),

9, III, (E)

ADR/RID-Labels 9

ADN

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class9Packing GroupIIIClassification CodeM6

Special Provisions 274, 335, 601

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A -

Epichlorohydrin polymer; Formaldehyde, polymer with (chloromethyl) oxirane and phenol),

9, III

Limited Quantity 5 L

### 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies
EINECS Complies
ELINCS Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Diethylene glycol monoethyl ether acetate	112-15-2	1-5	1.0

SDS Number: CA-90 FXT Page 8 / 9

### SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardYesFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

#### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Barium sulfate	X	X	X		

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

|--|

NFPA Health Hazard 2 Flammability 1 Instability 0 Physical and Chemical Hazards -

Health Hazard 2\* Flammability 1 Physical Hazard 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501 24-May-2015

Issuing Date24-May-2015Revision Date10-Jan-2023

Revision Note Updated Contact Information

#### **General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet** 

SDS Number: CA-90 FXT Page 9 / 9