# SAFETY DATA SHEET

Issuing Date 13-May-2015	Revision Date 11-Ja	n-2023	Revision Number	1
1. IDENTIFICATION OF TH	E SUBSTANCE/PR	EPARATION AND	THE COMPANY	//UNDERTAKING
GHS product identifier				
Product Name	PSR-4000 LEW1 (US)			
Other means of identification				
Product Code(s)	800071			
Synonyms	None			
Recommended use of the chemical	and restrictions on us	<u>e</u>		
Recommended Use	Solder mask part A			
Uses advised against	No information availab	le		
Supplier's details				
Supplier Address Taiyo America, Inc. 2675 Antler Drive Carson City, NV 89701 TEL: 775-885-9959 (M-F 8-4 PD	Т)			
Email SDSinfo@taiyo-america.com				
Emergency telephone number				
Emergency Telephone Number	1-800-255-3924 (USA)	1-813-248-0585	(International)	
	2. HAZARDS	DENTIFICATION	I	
Classification				

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Sensitization	Category 1
Reproductive Toxicity	Category 2
Flammable liquids	Category 4

# GHS Label elements, including precautionary statements

**Emergency Overview** 

<b>I- ·</b>			
Sig	nal	wo	ord

Warning

Hazard Statements
May cause an allergic skin reaction
Suspected of damaging fertility or the unborn child Suspected of dama
Combustible liquid



Physical State Viscous liquid.

Odor Mild Solvent

#### **Precautionary Statements**

#### Prevention

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- · Use personal protective equipment as required.
- · Keep away from heat/sparks/open flames/hot surfaces No smoking.

#### **General Advice**

- Specific treatment (see supplemental first aid instructions on this label)
- · If exposed or concerned: Get medical attention/advice

#### Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- Wash contaminated clothing before reuse.

#### Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

#### Storage

- · Store locked up.
- Store in a well-ventilated place. Keep cool.

#### Disposal

· Dispose of contents/container to an approved waste disposal plant.

#### Hazard Not Otherwise Classified (HNOC)

Not applicable

#### Other information

Harmful to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Titanium dioxide	13463-67-7	30-60	*
Dipropylene glycol monomethyl ether	34590-94-8	10-30	*
Talc	14807-96-6	1-5	*
Silica, amorphous, fumed, crystal-free	112945-52-5	1-5	*
Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide	75980-60-8	< 3	*
Phosphine oxide, phenylbis(2,4,6-trimethylbenzoyl)-	162881-26-7	<1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# **4. FIRST AID MEASURES**

#### Description of necessary first-aid measures

**General Advice** 

If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.

PSR-4000 LEW1 (US)	Revision Date 11-Jan-2023
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing. If symptoms persist, call a physician.
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Consult a physician if necessary.
Inhalation	Move to fresh air. If symptoms persist, call a physician. If breathing is difficult, give oxygen.
Ingestion	Rinse mouth. Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.
Protection of First-aiders	Use personal protective equipment.
Most important symptoms/effects, a	acute and delayed
Most Important Symptoms/Effects	No information available.
Indication of immediate medical att	ention and special treatment needed, if necessary
Notes to Physician	Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Water spray. Carbon dioxide (CO<sub>2</sub>). Dry powder. Dry chemical.

Unsuitable Extinguishing Media No information available.

#### Specific Hazards Arising from the Chemical

Combustible liquid. Vapors may travel to source of ignition and flash back. Risk of ignition In the event of fire and/or explosion do not breathe fumes. Keep product and empty container away from heat and sources of ignition. Product is or contains a sensitizer. May cause sensitization by skin contact.

Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	Yes.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Take precautionary measures against static discharges. Pay attention to flashback. In case of insufficient ventilation wear suitable respiratory equipment.

Environmental Precautions

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. See Section 12 for additional Ecological Information.

#### Methods and materials for containment and cleaning up

# Methods for Containment Prevent further leakage or spillage if safe to do so.

# Methods for Cleaning Up Use personal protective equipment. Dam up. Take up with sand or other noncombustible absorbent material and place into containers for later disposal. Clean contaminated surface thoroughly. 7. HANDLING AND STORAGE Precautions for safe handling Handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). In case of insufficient ventilation, wear suitable respiratory equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Use only in area provided with appropriate exhaust ventilation. Keep away from heat, sparks and open flame. No smoking. Do not take internally. Conditions for safe storage, including any incompatibilities Storage Keep in properly labeled containers. Keep away from heat and sources of ignition. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. **Incompatible Products** Strong oxidizing agents. Strong acids. Strong bases.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
Dipropylene glycol monomethyl ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>
Talc 14807-96-6	TWA: 2 mg/m <sup>3</sup>	(vacated) TWA: 2 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup> containg no asbestos and <1% quartz TWA: 2 mg/m <sup>3</sup>
Silica, amorphous, fumed, crystal-free 112945-52-5	10 mg/m <sup>3</sup>	TWA: 20 mppcf; ((80)/(% SiO2) mg/m <sup>3</sup> )	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>

Immediately Dangerous to Life or Health. ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH:

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering Measures Showers Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Safety glasses with side-shields.	
Skin and Body Protection	Protective gloves. Lightweight protective clothing.	

**Respiratory Protection** 

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

**Hygiene Measures** 

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product. Wash thoroughly after handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical State	Viscous liquid Mild Solvent	Appearance Odor Threshold	White
Odor	Mild Solvent	Odor Inreshold	No information available
Property	Values	Remarks/ -	Method
pH	No data available	None known	
Melting Point/Range	No data available	None known	
Boiling Point/Boiling Range	No data available	None known	
Flash Point	78 °C / 172.4 °F	None known	
Evaporation rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limits in Air			
upper flammability limit	No data available		
lower flammability limit	No data available		
Vapor Pressure	No data available	None known	
Vapor Density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	No data available	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octane	ol/waterNo data available	None known	
Autoignition Temperature	No data available	None known	
Decomposition Temperature	No data available	None known	
Viscosity	No data available	None known	
Flammable Properties	Combustible material: n	nay burn but does not ignite re	adily.
Explosive Properties	No data available		
Oxidizing Properties	No data available		
Other information			
•			

VOC Content (%) VOC (g/l) 26 480 gm/l

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### **Conditions to avoid**

Incompatible products. Heat, flames and sparks.

#### **Incompatible materials**

Strong oxidizing agents. Strong acids. Strong bases.

#### Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Sulfur oxides.

# **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

#### **Product Information**

Inhalation	There is no data available for this product.
Eye Contact	There is no data available for this product.
Skin Contact	May cause allergic skin reaction
Ingestion	There is no data available for this product.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Titanium dioxide	> 10000 mg/kg (Rat)	-	> 6820 mg/m <sup>3</sup>
Dipropylene glycol monomethyl ether	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

## Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization Mutagenic Effects Carcinogenicity May cause sensitization of susceptible persons. May cause sensitization by skin contact. No information available. This product contains titanium dioxide in a non-respirable form. Inhalation of titanium

dioxide is unlikely to occur from exposure to this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide		Group 2B		Х
Silica, amorphous, fumed, crystal-free		Group 3		

#### IARC: (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to its Carcinogenicity to Humans

# **OSHA: (Occupational Safety & Health Administration)**

X - Present

Reproductive Toxicity	Contains a known or suspected reproductive toxin. Possible risk of impaired fertility.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organ Effects	Respiratory system. Eyes. Skin. Central nervous system (CNS).
Aspiration Hazard	No information available.

#### Numerical measures of toxicity - Product

The following values are calculated	d base	d on chapter 3.1 of the GHS document:
LD50 Oral	4968	mg/kg; Acute toxicity estimate
LD50 Dermal	9522	mg/kg; Acute toxicity estimate mg/L

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Dipropylene glycol monomethyl ether 34590-94-8		LC50 96 h: > 10000 mg/L static (Pimephales promelas)		LC50 48 h: = 1919 mg/L (Daphnia magna)
Talc 14807-96-6		LC50 96 h: > 100 g/L semi-static (Brachydanio rerio)		

#### Persistence and Degradability No information available.

#### Bioaccumulation

Chemical Name	Log Pow
Dipropylene glycol monomethyl ether	-0.064

#### **Other Adverse Effects**

No information available.

13. DISPOSAL CONSIDERATIONS		
Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.	
Contaminated Packaging	Do not re-use empty containers.	
14. TRANSPORT INFORMATION		
Note:	According to 49 CRF §173.150(f)(1), this material should be reclassified as NA1993, Combustible Liquid, NOS if it is shipped in bulk.	
DOT	Not regulated	
IATA	Not regulated	
IMDG/IMO	Not regulated	
15. REGULATORY INFORMATION		

15. RE	GULATO	DRY INF	ORMA	ΓΙΟΝ

International Inventories	
TSCA	Complies
EINECS	Complies
ELINCS	Complies

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

#### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### U.S. State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Titanium dioxide	13463-67-7	Carcinogen

#### U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Titanium dioxide	Х	Х	Х	-	Х
Dipropylene glycol monomethyl ether	Х	Х	Х	Х	Х
Talc	Х	Х	Х		Х

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 2	2 Flammability	2	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard 2	2* Flammability	2	Physical Hazard 0	Personal Protection X

\*Indicates a chronic health hazard.

Prepared By	Product Stewardship
	23 British American Blvd.
	Latham, NY 12110
	1-800-572-6501
Issuing Date	13-May-2015
Revision Date	11-Jan-2023
Revision Note	Updated Contact Information

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**