SAFETY DATA SHEET

Issuing Date 24-May-2015 **Revision Date** 11-Jan-2023 **Revision Number** 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name CA-40 AUS2, CA-40 HRS

Other means of identification

Product Code(s) 400424

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Solder mask part B

Uses advised against No information available

Supplier's details

Supplier Address Taiyo America, Inc. 2675 Antler Drive Carson City, NV 89701

TEL: 775-885-9959 (M-F 8-4 PDT)

Email SDSinfo@taiyo-america.com

Emergency telephone number

Emergency Telephone

Number

1-800-255-3924 (USA)

1-813-248-0585 (International)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Sensitization	Category 1
Carcinogenicity	Category 2
Flammable liquids	Category 4

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Warning

Hazard Statements

May cause an allergic skin reaction

Suspected of causing cancer

Combustible liquid.

SDS Number: CA-40 AUS2 Page 1 / 8



Appearance Off-white

Physical State Viscous liquid.

Odor Mild Solvent

Precautionary Statements

Prevention

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- · Wear protective gloves.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.

General Advice

- If exposed or concerned: Get medical attention/advice
- Specific treatment (see supplemental first aid instructions on this label)

Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- · Wash contaminated clothing before reuse.

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

Storage

- Store locked up.
- Store in a well-ventilated place. Keep cool.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Barium sulfate	7727-43-7	30-60	*
Formaldehyde, polymer with (chloromethyl) oxirane and phenol	9003-36-5	10-30	*
4,4'-Bis(2,3-epoxypropoxy)-3,3',5,5'-tetramethyl (1,1'-biphenyl)	85954-11-6	5-10	*
Dipropylene glycol monomethyl ether	34590-94-8	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

General Advice

If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.

SDS Number: CA-40 AUS2 Page 2 / 8

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

rinsing. If symptoms persist, call a physician.

Wash off immediately with soap and plenty of water removing all contaminated clothes and **Skin Contact**

shoes. If skin irritation persists, call a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician. If breathing is irregular or stopped,

administer artificial respiration.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink

plenty of water. If symptoms persist, call a physician.

Protection of First-aiders Use personal protective equipment.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically. May cause sensitization of susceptible persons.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO 2). Dry powder. Dry chemical.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the Chemical

Combustible liquid. Vapors may travel to source of ignition and flash back. Risk of ignition In the event of fire and/or explosion do not breathe fumes. Keep product and empty container away from heat and sources of ignition.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with

skin, eyes and clothing. Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Take precautionary measures against static discharges. Pay attention to flashback. In case of insufficient ventilation wear suitable

respiratory equipment.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. **Environmental Precautions**

Do not flush into surface water or sanitary sewer system. Avoid release to the environment.

See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

SDS Number: CA-40 AUS2

Methods for Cleaning Up

Dam up. Take up with sand, earth or other noncombustible absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not

breathe vapors or spray mist. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). In case of insufficient ventilation, wear suitable respiratory equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Use only in area provided with appropriate exhaust ventilation. Keep away from heat, sparks and open flame. No smoking. Do not take

internally.

Conditions for safe storage, including any incompatibilities

Storage Keep in properly labeled containers. Keep away from heat and sources of ignition. Keep out

of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated

place.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Barium sulfate	TWA: 5 mg/m ³ inhalable	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
7727-43-7	fraction, particulate matter	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
	containing no asbestos and <1%	fraction	
	crystalline silica	(vacated) TWA: 10 mg/m ³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Dipropylene glycol monomethyl ether	STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
34590-94-8	TWA: 100 ppm	TWA: 600 mg/m ³	TWA: 100 ppm
	S*	(vacated) TWA: 100 ppm	TWA: 600 mg/m ³
		(vacated) TWA: 600 mg/m ³	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 900 mg/m ³
		(vacated) STEL: 900 mg/m ³	
		(vacated) S*	
		` S* [′]	

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection Safety glasses with side-shields.

Long sleeved clothing. Impervious gloves.

In case of insufficient ventilation wear suitable respiratory equipment. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

be worn.

Hygiene Measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing. Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product. Wash thoroughly after handling.

CDC Numbers CA 40 AUC2

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Viscous liquid. **Appearance** Off-white.

Odor Mild Solvent. Odor Threshold No information available.

Property Values Remarks/ - Method

No data available None known Hq Melting Point/Range No data available None known **Boiling Point/Boiling Range** No data available None known Flash Point 78 °C None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data available

Vapor Pressure No data available None known **Vapor Density** No data available None known **Specific Gravity** No data available None known Water Solubility No data available None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known **Viscosity** No data available None known

Flammable Properties Combustible material: may burn but does not ignite readily.

Explosive PropertiesNo data available **Oxidizing Properties**No data available

Other information

VOC Content (%) 9 **VOC (g/l)** 144

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks. Incompatible products.

Incompatible materials

Strong oxidizing agents.

SDS Number: CA-40 AUS2 Page 5 / 8

Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation There is no data available for this product.

Eye Contact There is no data available for this product.

Skin Contact May cause allergic skin reaction

Ingestion There is no data available for this product.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Formaldehyde, polymer with (chloromethyl) oxirane and phenol	> 2 g/kg (Rat)	> 400 mg/kg (Rat)	-
Dipropylene glycol monomethyl ether	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-
Naphtha (petroleum), heavy aromatic	> 5000 mg/kg (Rat)	> 2 mL/kg (Rabbit)	> 590 mg/m³ (Rat)4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization May cause sensitization of susceptible persons. May cause sensitization by skin contact.

Mutagenic EffectsNo information available.CarcinogenicityMay cause cancer.

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Target Organ Effects
Aspiration Hazard
No information available.
No information available.
Respiratory system. Eyes.
No information available.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 5015 mg/kg; Acute toxicity estimate **LD50 Dermal** 557058 mg/kg; Acute toxicity estimate

Inhalation

dust/mist13 mg/L; Acute toxicity estimateVapor52 mg/L; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Dipropylene glycol		LC50 96 h: > 10000 mg/L		LC50 48 h: = 1919 mg/L
monomethyl ether		static (Pimephales promelas)		(Daphnia magna)
34590-94-8				

SDS Number: CA-40 AUS2 Page 6 / 8

Naphtha (petroleum), heavy	EC50 72 h: = 2.5 mg/L	LC50 96 h: = 19 mg/L static	EC50 48 h: = 0.95 mg/L
aromatic	(Skeletonema costatum)	(Pimephales promelas) LC50	(Daphnia magna)
64742-94-5		96 h: = 2.34 mg/L	
		(Oncorhynchus mykiss)	
		LC50 96 h: = 1740 mg/L	
		static (Lepomis macrochirus)	
		LC50 96 h: = 45 mg/L	
		flow-through (Pimephales	
		promelas) LC50 96 h: = 41	
		mg/L (Pimephales	
		promelas)	

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Dipropylene glycol monomethyl ether	-0.064

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

Note: According to 49 CRF §173.150(f)(1), this material should be reclassified as NA1993,

Combustible Liquid, NOS if it is shipped in bulk.

DOT Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
EINECS Complies
ELINCS Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Diethylene glycol monoethyl ether acetate	112-15-2	5-10	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes

SDS Number: CA-40 AUS2 Page 7 / 8

Sudden Release of Pressure Hazard No Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Barium sulfate	X	X	X		
Dipropylene glycol	Х	X	X	X	X
monomethyl ether					

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION						
<u>NFPA</u>	Health Hazard	2	Flammability	2	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard	2*	Flammability	2	Physical Hazard 0	Personal Protection X

^{*}Indicates a chronic health hazard.

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 24-May-2015
Revision Date 11-Jan-2023

Revision Note Updated Contact Information

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

SDS Number: CA-40 AUS2 Page 8 / 8