

# SAFETY DATA SHEET

Issuing Date 02-April-2024

Revision Date 02-April-2024

Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### GHS product identifier

Product Name THP-100 DX1 SP-X

### Other means of identification

Product Code(s) 800199

UN-Number UN3082

Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended Use One part hole filling paste

Uses advised against No information available

### Supplier's details

Initial Supplier  
Canadian address required

Supplier Address  
Taiyo America, Inc.  
2675 Antler Drive  
Carson City, NV 89701  
TEL: 775-885-9959 (M-F 8-4 PDT)

E-mail SDSinfo@taiyo-america.com

### Emergency telephone number

Emergency Tel (In US) 1-800-255-3924

Emergency Tel (International) 1-813-248-0585

Contract # MIS0007979

## 2. HAZARDS IDENTIFICATION

### Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1

### Label Elements

**Danger**

**Hazard Statements**

Causes skin irritation  
 Causes serious eye irritation  
 May cause an allergic skin reaction  
 May cause cancer by inhalation

**Physical and Health Hazards Not Otherwise Classified**

Not applicable.

**Precautionary Statements****Prevention**

- Wash face, hands and any exposed skin thoroughly after handling.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection.

**General Advice**

- Specific treatment (see supplemental first aid instructions on this label)

**Eyes**

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

**Skin**

- IF ON SKIN: Wash with plenty of soap and water.
- Take off contaminated clothing and wash before reuse.
- If skin irritation or rash occurs: Get medical advice/attention.

**Storage**

- None

**Disposal**

- Dispose of contents/container to an approved waste disposal plant.

**Other information**

Toxic to aquatic life with long lasting effects.

57.14% of the mixture consists of ingredient(s) of unknown toxicity.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Quartz	14808-60-7	30-40	-	-
Formaldehyde, polymer with (chloromethyl) oxirane and phenol	9003-36-5	10-20	-	-
Bisphenol A - Epichlorohydrin polymer	25068-38-6	10-20	-	-
Silicon dioxide	7631-86-9	10-20	-	-
Calcium carbonate	471-34-1	5-10	-	-
Barium sulfate	7727-43-7	1-5	-	-

Bentonite	1302-78-9	0.1-1.5	-	-
Butyl titanate	5593-70-4	0.5-1		

**4. FIRST AID MEASURES**

**Description of necessary first-aid measures**

<b>General Advice</b>	If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.
<b>Eye Contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
<b>Inhalation</b>	Move to fresh air. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.
<b>Ingestion</b>	Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
<b>Protection of First-aiders</b>	Use personal protective equipment.

**Most important symptoms/effects, acute and delayed**

**Most Important Symptoms/Effects** May cause allergic skin reaction. Itching. Rashes. Skin irritation. Eye irritation/reactions.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to Physician** May cause sensitization of susceptible persons. Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** No information available.

**Specific Hazards Arising from the Chemical** May cause sensitization by skin contact. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

**Explosion Data**

<b>Sensitivity to Mechanical Impact</b>	None.
<b>Sensitivity to Static Discharge</b>	None.

**Protective Equipment and Precautions for Firefighters** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak.

**Environmental Precautions**

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or confined areas. Avoid release to the environment. See Section 12 for

additional Ecological Information.

**Methods and materials for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up** Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Handling** Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Use only in area provided with appropriate exhaust ventilation. Do not eat, drink or smoke when using this product.

**Conditions for safe storage, including any incompatibilities**

**Storage** Keep in properly labeled containers. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Products** Strong oxidizing agents.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable particulate matter	TWA: 50 µg/m <sup>3</sup> Action Level: 25 µg/m <sup>3</sup> (vacated) TWA: 0.1 mg/m <sup>3</sup> respirable dust : (250)/(%SiO <sub>2</sub> + 5) mppcf TWA respirable fraction : (10)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA respirable fraction	IDLH: 50 mg/m <sup>3</sup> respirable dust TWA: 0.05 mg/m <sup>3</sup> respirable dust
Silicon dioxide 7631-86-9	10 mg/m <sup>3</sup>	20 mppcf TWA; ((80)/(% SiO <sub>2</sub> ) mg/m <sup>3</sup> )	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>
Calcium carbonate 471-34-1	-	TWA: 15 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 15 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Barium sulfate 7727-43-7	TWA: 5 mg/m <sup>3</sup> inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Bentonite 1302-78-9	TWA: 1 mg/m <sup>3</sup> respirable particulate matter	-	-

*Immediately Dangerous to Life or Health. ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH:*

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Appropriate engineering controls**

**Engineering Measures** Showers  
Eyewash stations

Ventilation systems

**Individual protection measures, such as personal protective equipment**

<p><b>Eye/Face Protection</b>  <b>Skin and Body Protection</b>  <b>Respiratory Protection</b></p>	<p>Goggles.                  Protective gloves. Lightweight protective clothing.                  No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.</p>
<p><b>Hygiene Measures</b></p>	<p>Handle in accordance with good industrial hygiene and safety practice. When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Remove and wash contaminated clothing before re-use. Wash hands and face before breaks and immediately after handling the product.</p>

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<p><b>Physical State</b>  <b>Odor</b></p>	<p>Liquid.                  Sweet, Solvent.</p>	<p><b>Appearance</b>  <b>Odor Threshold</b></p>	<p>Cream.                  No information available.</p>
---	---	---	--

Property	Values	Remarks/ - Method
pH	No data available	None known
Melting Point/Range	No data available	None known
Boiling Point/Boiling Range	No data available	None known
Flash Point	> 200 °C	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available	None known
Vapor Density	No data available	None known
Specific Gravity	No data available	at 20 °C
Water Solubility	No data available	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	No data available	None known

**Flammable Properties**                      Combustible material: may burn but does not ignite readily

**Explosive Properties**                      No data available  
**Oxidizing Properties**                      No data available

**Other information**

VOC Content (%)                              0  
 VOC (g/l)                                      0

**10. STABILITY AND REACTIVITY**

**Reactivity**                                      No data available.

**Chemical stability**                              Stable under recommended storage conditions.

**Possibility of hazardous reactions**      None under normal processing.

**Hazardous Polymerization**                      Hazardous polymerization does not occur.

**Conditions to avoid** Incompatible products.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition products** Carbon oxides. Nitrogen oxides (NOx).

**11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure**

**Product Information**

**Inhalation** May cause irritation of respiratory tract.  
**Eye Contact** Causes serious eye irritation.  
**Skin Contact** Causes skin irritation. May cause allergic skin reaction.  
**Ingestion** May be harmful if swallowed.

**Numerical measures of toxicity - Product**

**Unknown acute toxicity** 57.14% of the mixture consists of ingredient(s) of unknown toxicity.

*The following values are calculated based on chapter 3.1 of the GHS document:*

**LD50 Oral** 4744 mg/kg; Acute toxicity estimate

**LD50 Dermal** 4832 mg/kg; Acute toxicity estimate

**Inhalation dust/mist** 22 mg/L; Acute toxicity estimate

**Vapor** 161 mg/L; Acute toxicity estimate

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Bisphenol A - Epichlorohydrin polymer	11400 mg/kg ( Rat )	-	-
Formaldehyde, polymer with (chloromethyl) oxirane and phenol	> 2 g/kg ( Rat )	> 400 mg/kg ( Rat )	-
Silicon dioxide	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	>2.2 mg/L ( Rat ) 4 h
Calcium carbonate	= 6450 mg/kg ( Rat )	-	-
Bentonite	> 5000 mg/kg ( Rat )	-	-

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** No information available.

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Respiratory or Skin Sensitization** May cause sensitization of susceptible persons. May cause sensitization by skin contact.

**Germ Cell Mutagenicity** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Silica, fused		Group 3		
Silicon dioxide		Group 3		

**IARC: (International Agency for Research on Cancer)**

Group 3 - Not Classifiable as to its Carcinogenicity to Humans

**Reproductive Toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Chronic Toxicity** Avoid repeated exposure. Repeated contact may cause allergic reactions in very susceptible persons.  
**Target Organ Effects** Respiratory system. Eyes. Skin.  
**Aspiration Hazard** No information available.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Silicon dioxide 7631-86-9	EC50 72 h: = 440 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: = 5000 mg/L static (Brachydanio rerio)		EC50 48 h: = 7600 mg/L (Ceriodaphnia dubia)
Bentonite 1302-78-9		LC50 96 h: 8.0-19.0 g/L (Salmo gairdneri) LC50 96 h: = 19000 mg/L static (Oncorhynchus mykiss)		

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available.

**Mobility** No information available.

**Other Adverse Effects** No information available.

### 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods** Should not be released into the environment. Dispose of in accordance with local regulations.

**Contaminated Packaging** Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

**Note:** Not regulated in quantities less than 5 liter per individual container. See IATA SP A197, IMDG 2.10.2.7 and ADR SP 375.

#### DOT

**UN-Number** UN3082  
**Proper shipping name** Environmentally hazardous substance, liquid, n.o.s.  
**Hazard Class** 9  
**Packing Group** III  
**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A - Epichlorohydrin polymer; Formaldehyde, polymer with (chloromethyl) oxirane and phenol), 9, III  
**Emergency Response Guide Number** 171

#### TDG

**UN-Number** UN3082  
**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.  
**Hazard Class** 9  
**Packing Group** III  
**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A - Epichlorohydrin polymer; Formaldehyde, polymer with (chloromethyl) oxirane and phenol), 9, III

#### MEX

**UN-Number** UN3082  
**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.  
**Hazard Class** 9  
**Packing Group** III  
**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A - Epichlorohydrin polymer), 9, III

#### IATA

<b>UN-Number</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Hazard Class</b>	9
<b>Packing Group</b>	III
<b>ERG Code</b>	9L
<b>Description</b>	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A - Epichlorohydrin polymer; Formaldehyde, polymer with (chloromethyl) oxirane and phenol), 9, III

**IMDG/IMO**

<b>UN-Number</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Hazard Class</b>	9
<b>Packing Group</b>	III
<b>EmS No.</b>	F-A, S-F
<b>Description</b>	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A - Epichlorohydrin polymer; Formaldehyde, polymer with (chloromethyl) oxirane and phenol), 9, III

**15. REGULATORY INFORMATION****International Regulations**

<b>Ozone depleting substances</b>	Not applicable
<b>Persistent Organic Pollutants</b>	Not applicable
<b>Hazardous Waste</b>	Not applicable
<b>The Rotterdam Convention (Prior Informed Consent)</b>	Not applicable
<b>International Convention for the Prevention of Pollution from Ships (MARPOL)</b>	Not applicable

**International Inventories**

<b>TSCA</b>	Complies
<b>DSL</b>	Not determined
<b>EINECS</b>	Complies
<b>ELINCS</b>	Complies

**Legend**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	No
<b>Fire Hazard</b>	No
<b>Sudden Release of Pressure Hazard</b>	No
<b>Reactive Hazard</b>	No

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and



Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**U.S. State Regulations**

**California Proposition 65**

Chemical Name	CAS-No	California Prop. 65
Quartz	14808-60-7	Carcinogen

**U.S. State Right-to-Know Regulations**

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Quartz	X	X	X	-	X
Silicon dioxide	X	X	X		
Calcium carbonate	X	X	X		
Barium sulfate	X	X	X		

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**16. OTHER INFORMATION**

**NFPA**                      **Health Hazard** 2                      **Flammability** 1                      **Instability** 0                      **Physical and Chemical Hazards** -

**HMIS**                      **Health Hazard** 2                      **Flammability** 1                      **Physical Hazard** 0                      **Personal Protection** X

**Prepared By**                      Product Stewardship  
 23 British American Blvd.  
 Latham, NY 12110  
 1-800-572-6501

**Issuing Date**                      02-April-2023

**Revision Date**

**Revision Note**                      Initial Release

**General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**